

COMBINED INDEX TO SCIENTIFIC NAMES

Roman numerals indicate volume number; page numbers facing the coloured plates are in **bold** type.

We have added and cross-referenced any departures between *HANZAB* and Christidis & Boles (1994; *RAOU Monograph 2*; RAOU [Birds Australia], Melbourne), for example, noting for *Egretta* (used in Christidis & Boles for three species) to see *Ardea* (which used for these species in *HANZAB*).

Note that for Volume 1, Part A extends from page 1 to 736, and Part B from 737 to 1400; for Volume 7, Part A extends from page 1 to 1056 and Part B from 1057 to 1956.

- abbotti* (*Sula*) I: 791, **796, 797**
Acanthagenys rufogularis V: 508, **480**
Acanthis cannabina VII: 1302
 flavirostris VII: 1302
Acanthisitta chloris V: 60, **96**
 ACANTHISITTIDAE V: 58
Acanthiza apicalis VI: 437, **448**
 chrysorrhoea VI: 506, **449**
 ewingii VI: 451, **289**
 fasciatus II: 134, **168, 169, 176**
 inornata VI: 475, **449**
 iredalei VI: 496, **449**
 katherina VI: 414, **289**
 lineata VI: 535, **480**
 nana VI: 525, **480**
 novaehollandiae II: 122, **177**
 pusilla VI: 418, **289**
 reguloides VI: 482, **449**
 robustirostris VI: 468, **448**
 tenuirostris V: 1104, **1056**
 uropygialis VI: 458, **448**
Acanthorhynchus superciliosus V: 1118, **1056**
Acanthornis magnus VI: 221, **161**
Accipiter cirrhocephalus II: 150, **168, 169, 176**
 ACCIPITRIDAE II: 22
Acridotheres cinereus VII: 1892
 tristis VII: 1937, **769**
Acrocephalus australis VII: 1605, **1561**
 orientalis VII: 1623, **1561**
Actitis hypoleucos III: 173, **224**
acutirostris (*Heteralocha*) VII: 1014
acuminata (*Calidris*) III: 295, **321**
acuta (*Anas*) I: 1301, **1300**
acuticauda (*Poephila*) VII: 1139, **1144**
adeliae (*Pygoscelis*) I: 158, **145**
adscitus (*Platycercus*) IV: 356, **352, 353**
Aegotheles cristatus IV: 1037, **1025**

AEGOTHELIDAE IV: 1036
aequinoctialis (*Procellaria*) I: 557, **561**
Aerodramus spodiopygius IV: 1058, **1056**
 vanikorensis IV: 1067, **1056**
affinis (*Apus*) IV: 1090, **1057**
affinis (*Caprimulgus*) IV: 1032, **1024, 1025**
affinis (*Climacteris*) V: 212, **257**
affinis (*Melithreptus*) V: 948, **928**
Ailuroedus crassirostris VII: 838, **864**
 melanotis VII: 827, **864**
Alauda arvensis VII: 1039, **993**
 ALAUDIDAE VII: 1018
alba (*Ardea*) I: 967, **965**
alba (*Calidris*) III: 237, **288, 289**
alba (*Chionis*) II: 677, **680**
alba (*Cygis*) III: 825, 800, **801**
alba (*Motacilla*) VII: 1426, **1400**
alba (*Pterodroma*) I: 445, **433**
alba (*Tyto*) IV: 930, **961**
alberti (*Menura*) V: 129, **129**
albicilla (*Mohoua*) VI: 1023, **1025**
albifacies (*Sceloglaux*) IV: 884
albifrons (*Epthianura*) V: 1239, **1185**
albifrons (*Phylidonyris*) V: 1052, **1024**
albifrons (*Sterna*) III: 709, 672
albineata (*Meliphaga*) V: 709, **736**
albigularis (*Petrophassa*) III: 933, 896
albispecularis (*Heteromyias*) VI: 818, **705**
albofrontata (*Gerygone*) VI: 334, **288**
albogularis (*Conopophila*) V: 1083, **1025**
albogularis (*Melithreptus*) V: 927, **897**
albogularis (*Zosterops*) VII: 1798, **1752**
albonotatus (*Euplectes*) VII: 1097
albostrigatus (*Sterna*) III: 699, **640, 641**
albus (*Porphyrio*) II: 592
 ALCEDINIDAE IV: 1096
Alcedo azurea IV: 1097, **1120**
 pusilla IV: 1105, **1120**
alecto (*Myiagra*) VII: 114, **97**
Alectoris barbara II: 422
 chukar II: 386, **369**
 rufa II: 422
Alectura lathamii II: 341, **368**
alexandrae (*Polytelis*) IV: 306, **289**
alexandrinus (*Charadrius*) II: 836, **800**
Alisterus scapularis IV: 269, **288**
alpina (*Calidris*) III: 308, **352, 353**
aluco (*Strix*) IV: **888**
amabilis (*Malurus*) V: 327, **321**
Amaurornis olivacea II: 538, **552**
amboinensis (*Macropygia*) III: 866, **849**

Amytornis ballarae V: 452, **448**
barbatus V: 391, **416**
dorotheae V: 409, **416**
goyderi V: 430, **417**
housei V: 398, **416**
merrotsyi V: 426, **417**
burnelli V: 446, **448**
striatus V: 414, **417**
textilis V: 436, **448**
woodwardi V: 403, **416**
anaethetus (*Sterna*) III: 738, **673**
Anarhynchus frontalis II: 919, **801**
Anas acuta I: 1301, **1300**
aucklandica I: 1295, **1253**
castanea I: 1281, **1252**
chlorotis I: 1289, **1253**
clypeata I: 1348, **1316**
discors I: 1339
eatonii I: 1306, **1300**
flavirostris I: 1263
georgica I: 1303, **1300**
gracilis I: 1266, **1252**
nesiotis I: 1300
platyrhynchos I: 1313, **1301**
querquedula I: 1335, **1237**
rhynchotis I: 1340, **1316**
sibilatrix I: 1263, **1253**
superciliosa I: 1320, **1301**
ANATIDAE I: 1124
Anatinae I: 1223
andrewsi (*Fregata*) I: 928, **933, 948**
Anhinga melanogaster I: 798, **828**
ANHINGIDAE I: 798
Anous minutus III: 801, **800, 801**
stolidus III: 789, **800, 801**
tenuirostris III: 812, **800, 801**
Anseranas semipalmata I: 1114, **1132**
ANSERANATIDAE I: 1114
ANSERIFORMES I: 1112
Anserinae I: 1174
antarctica (*Pygoscelis*) I: 174, **145**
antarctica (*Thalassoica*) I: 384, **400**
antarcticus (*Anthus*) VII: 1389, **1369**
antarcticus (*Lopholaimus*) III: 1009, **833**
Anthochaera carunculata V: 463, **449**
chrysoptera V: 489, **480**
lunulata V: 503, **480**
paradoxa V: 482, **449**
anthopeplus (*Polytelis*) IV: 295, **289**
Anthornis melanura V: 1173, **1152**
Anthus antarcticus VII: 1389, **1369**

campestris VII: 1400
cervinus VII: 1395, **1400**
gustavi VII: 1391, **1400**
novaeseelandiae VII: 1359, **1369**
antigone (*Grus*) II: 480, 457
antipodes (*Megadyptes*) I: 236, **208**
Aphelocephala leucopsis VI: 550, **481**
nigricincta VI: 568, **481**
pectoralis VI: 561, **481**
apicalis (*Acanthiza*) VI: 437, **448**
Aplonis cantoroides VII: 1903, **1849**
fusca VII: 1895
metallica VII: 1896, **1849**
APODIDAE IV: 1049
APODIFORMES IV: 1049
approximans (*Circus*) II: 105, **193, 200, 201**
apricaria (*Pluvialis*) II: 811
Aprosmictus erythropterus IV: 278, **288**
Aptenodytes forsteri I: 136, **144**
patagonicus I: 126, **144**
APTERYGIDAE I: 71
Apteryx australis I: 71, **72**
haastii I: 86, **73**
owenii I: 80, **73**
apus (*Apus*) IV: 1081
Apus affinis IV: 1090, **1057**
apus IV: 1081
pacificus IV: 1081, **1057**
Aquila audax II: 164, **232, 233**
gurneyi II: 163, **232, 233**
arcuata (*Dendrocygna*) I: 1134, **1133**
Ardea alba I: 967, **965**
cinerea I: 955
eulophotes I: 1002
garzetta I: 996, **981**
ibis I: 1017, 981
intermedia I: 978, **965**
novaehollandiae I: 986, **980**
pacifica I: 955, **964**
picata I: 974, **1069**
sacra I: 1002, **980**
striata I: 1009, **1020**
sumatrana I: 962, **964**
ARDEIDAE I: 953
Ardeotis australis II: 636, **625**
Arenaria interpres III: 194, **256**
Arenariinae III: 194
argenteiceps (*Philemon*) V: 538, **481**
argus (*Eurostopodus*) IV: 1013, **1024, 1025**
ariel (*Fregata*) I: 921, **933, 948**
ariel (*Hirundo*) VII: 1568, **1529, 1560**

armatus (*Vanellus*) **II**: 958
arminjoniana (*Pterodroma*) **I**: 440, **465**
arquata (*Numenius*) **III**: 116
Arses kaupi **VII**: 77, **65**
 telescophthalmus **VII**: 71, **65**
ARTAMIDAE **VII**: 396
Artamus cinereus **VII**: 438, **480**
 cyanopterus **VII**: 453, **480**
 leucorynchus **VII**: 399, **385**
 minor **VII**: 473, **480**
 personatus **VII**: 412, **385**
 superciliosus **VII**: 424, **385**
arvensis (*Alauda*) **VII**: 1039, **993**
Ashbyia lovensis **V**: 1253, **1153**
asiaticus (*Charadrius*) **II**: 876
asiaticus (*Ephippiorhynchus*) **I**: 1064, **1068**
assimilis (*Circus*) **II**: 94, **193, 200, 201**
assimilis (*Puffinus*) **I**: 666, **664**
ater (*Dromaius*) **I**: 59
aterrimus (*Probosciger*) **IV**: 32, **64**
Athene noctua **IV**: 812, **864**
atlanticus (*Larus*) **III**: 484
atra (*Fulica*) **II**: 625, **617**
atratus (*Cygnus*) **I**: 1178, **1196**
atricapilla (*Sylvia*) **VII**: 1597
Atrichornis clamosus **V**: 183, **225**
 rufescens **V**: 176, **225**
ATRICHORNITHIDAE **v**: 174
atricilla (*Larus*) **III**: 561, **544, 545**
aucklandica (*Anas*) **I**: 1295, **1253**
aucklandica (*Coenocorypha*) **III**: 54, **65**
audax (*Aquila*) **II**: 164, **232, 233**
auriceps (*Cyanoramphus*) **IV**: 492, **449**
aurifrons (*Ephianura*) **V**: 1220, **1184, 1185**
australis (*Acrocephalus*) **VII**: 1605, **1561**
australis (*Apteryx*) **I**: 71, **72**
australis (*Ardeotis*) **II**: 636, **625**
australis (*Aythya*) **I**: 1351, **1317**
australis (*Charadrius*) **II**: 884, **841**
australis (*Eopsaltria*) **VI**: 770, **736**
australis (*Gallirallus*) **II**: 506, **520**
australis (*Mergus*) **I**: 1363
australis (*Oxyura*) **I**: 1142, **1164**
australis (*Petroica*) **VI**: 706, **609**
Aviceda subcristata **II**: 26, **40, 41**
axillaris (*Elanus*) **II**: 35, **40, 41**
axillaris (*Pterodroma*) **I**: 485, **489**
Aythya australis **I**: 1351, **1317**
 novaeseelandiae **I**: 1358, **1317**
azurea (*Alcedo*) **IV**: 1097, 1120

bairdii (*Calidris*) III: 283, **288, 289**
ballarae (*Amytornis*) V: 452, **448**
banksii (*Calyptorhynchus*) IV: 40, **65**
barauui (*Pterodroma*) I: 475, **473**
barbara (*Alectoris*) II: 422
barbatus (*Amytornis*) V: 391, **416**
Barnardius zonarius IV: 376, **385**
Bartramia longicauda III: 125, **128**
basalis (*Chrysococcyx*) IV: 713, **736, 737**
baudinianus (*Dromaius*) I: 59
baudinii (*Calyptorhynchus*) IV: 90, **97**
beccarii (*Sericornis*) VI: 215, **160**
belcheri (*Pachyptila*) I: 534, **528**
bella (*Stagonopleura*) VII: 1224, **1240**
bengalensis (*Sterna*) III: 597, **577**
benghalensis (*Rostratula*) II: 658, **640**
bennetti (*Corvus*) VII: 745, **737**
bergii (*Sterna*) III: 605, **577**
berigora (*Falco*) II: 237, **305, 320**
bichenovii (*Taeniopygia*) VII: 1127, **1113**
bicinctus (*Charadrius*) II: 847, **801**
bicolor (*Ducula*) III: 1001, **960**
Biziura lobata I: 1152, 1164
borealis (*Phylloscopus*) VII: 1601, **1720**
Botaurus poiciloptilus I: 1056, **1053**
bourkii (*Neopsephotus*) IV: 521, **513**
Bowdleria punctata VII: 1649, **1720**
 rufescens VII: 1667
boweri (*Colluricincla*) VI: 1180, **1121**
brachypterus (*Dasyornis*) VI: 95, **96**
bracteatus (*Dicrurus*) VII: 249, **225**
bransfieldensis (*Phalacrocorax*) I: 847, **884**
Branta canadensis I: 1189, 1197
brevipes (*Heteroscelus*) III: 180, **225**
brevirostris (*Melithreptus*) V: 914, **928**
brevirostris (*Pterodroma*) I: 448, **472**
brevirostris (*Smicromis*) VI: 292, **480**
broadbenti (*Dasyornis*) VI: 114, **96**
brunneopygia (*Drymodes*) VI: 830, **737**
brunneus (*Pyrrholaemus*) VI: 269, **193**
buceroides (*Philemon*) V: 529, **481**
bulleri (*Diomedea*) I: 330, **313**
bulleri (*Larus*) III: 545, **513, 545**
bulleri (*Puffinus*) I: 603, **625**
Bulweria bulwerii I: 554, **560**
bulwerii (*Bulweria*) I: 554, **560**
BURHINIDAE II: 695
Burhinus grallarius II: 696, **681**
Butastur teesa II: 162

Cacatua galerita IV: 163, **160**

leadbeateri IV: 154, **160**
pastinator IV: 136, **129**
sanguinea IV: 144, **129**
tenuirostris IV: 127, **129**
CACATUIDAE IV: 29
Cacomantis castaneiventris IV: 688, **673**
flabelliformis IV: 692, **673**
variolosus IV: 677, **673**
caerulea (*Halobaena*) I: 508, **528**
cafer (*Pycnonotus*) VII: 1587
Calamanthus campestris VI: 258, **193**
fuliginosus VI: 247, **193**
caledonicus (*Nycticorax*) I: 1030, **1021**
caledonicus (*Platycercus*) IV: 313, **320**
Calidridinae III: 213
Calidris acuminata III: 295, **321**
alba III: 237, **288, 289**
alpina III: 308, **352, 353**
bairdii III: 283, **288, 289**
canutus III: 224, 257
ferruginea III: 315, **352, 353**
fuscicollis III: 279, **288, 289**
Hybrids III: 307, **352**
mauri III: 246
melanotos III: 287, **321**
minuta III: 250, **289, 320**
minutilla III: 279
pusilla III: 245
ruficollis III: 258, **289, 320**
subminuta III: 270, **289, 320**
tenuirostris III: 214, **257**
californicus (*Lophortyx*) II: 358, **369**
Callaeas cinerea VII: 965, **992**
CALLAEIDAE VII: 963
Callocephalon fimbriatum IV: 94, **128**
Calonectris diomedea I: 586, **593**
leucomelas I: 589, **593**
Calyptorhynchus banksii IV: 40, **65**
baudinii IV: 90, **97**
funereus IV: 66, **96**
lathamii IV: 52, **64**
latirostris IV: 78, **97**
camelus (*Struthio*) I: 68
campbelli (*Phalacrocorax*) I: 889, **932**
CAMPEPHAGIDAE VII: 263
campestris (*Anthus*) VII: 1400
campestris (*Calamanthus*) VI: 258, **193**
canadensis (*Branta*) I: 1189, **1197**
canarius (*Serinus*) VII: 1302
cannabina (*Acanthis*) VII: 1302
canorus (*Cuculus*) IV: 652

cantoroides (*Aplonis*) VII: 1903, **1849**
canutus (*Calidris*) III: 224, **257**
capense (*Daption*) I: 391, **400**
capensis (*Sula*) I: 749, **756**
capensis (*Turnagra*) VII: 958, **992**
capensis (*Tyto*) IV: 950, **961**
capito (*Tregellasia*) VI: 756, **705**
 CAPRIMULGIDAE IV: 1000
CAPRIMULGIFORMES IV: 963
Caprimulgus affinis IV: 1032, **1024, 1025**
 macrurus IV: 1024, **1024, 1025**
carbo (*Phalacrocorax*) I: 810, **829**
cardinalis (*Cardinalis*) VII: 1446
Cardinalis cardinalis VII: 1446
carduelis (*Carduelis*) VII: 1328, **1273**
Carduelis carduelis VII: 1328, **1273**
 chloris VII: 1315, **1273**
 flammea VII: 1345, **1368**
 spinus VII: 1302
carneipes (*Puffinus*) I: 609, **624**
carteri (*Eremiornis*) VII: 1667, **1720**
carunculata (*Anthochaera*) V: 463, **449**
carunculatus (*Phalacrocorax*) I: 872, **885**
carunculatus (*Philesturnus*) VII: 986, **992**
caspia (*Sterna*) III: 586, **576**
castanea (*Anas*) I: 1281, **1252**
castaneiventris (*Cacomantis*) IV: 688, **673**
castaneothorax (*Cinclosoma*) VI: 990, **897**
castaneothorax (*Lonchura*) VII: 1261, **1241**
castaneovertris (*Eulabeornis*) II: 571, **522**
castanota (*Turnix*) II: 441, **424**
castanotus (*Cinclosoma*) VI: 967, **896**
 CASUARIIDAE I: 60
casuarius (*Casuarius*) I: 60, **57**
Casuarius casuarius I: 60, **57**
Catharacta maccormicki III: 412, **385, 416**
 skua III: 388, **385, 416**
Catharus guttata VII: 1802
caudacutus (*Hirundapus*) IV: 1070, **1057**
cauta (*Diomedea*) I: 301, **297, 304**
cauta (*Hylacola*) VI: 238, **192**
cenchroides (*Falco*) II: 253, **257, 264, 265**
 CENTROPODIDAE IV: 792
Centropus phasianinus IV: 793, **769**
Cereopsis novaehollandiae I: 1194, **1197**
Certhionyx niger V: 1133, **1057**
 pectoralis V: 1126, **1057**
 variegatus V: 1143, **1057**
cerulea (*Procelsterna*) III: 818, **800, 801**
cervicalis (*Pterodroma*) I: 470, **488**
cerviniventris (*Chlamydera*) VII: 950, **865**

cervinus (*Anthus*) VII: 1395, **1400**
chalconotus (*Phalacrocorax*) I: 876, **885**
Chalcophaps indica III: 873, **880**
chalconotus (*Phaps*) III: 881, **881**
 CHARADRIIDAE II: 799
CHARADRIIFORMES II: 648
CHARADRIIFORMES III: 25
 Charadriinae II: 799
Charadrius alexandrinus II: 836, **800**
 asiaticus II: 876
 australis II: 884, **841**
 bicinctus II: 847, **801**
 dubius II: 832, **785**
 hiaticula II: 828, **785**
 leschenaultii II: 868, **840**
 mongolus II: 860, **840**
 obscurus II: 818, **784**
 ruficapillus II: 836, **800**
 tricoloris II: 892
 veredus II: 877, 841
chathamensis (*Haematopus*) II: 734, **713**
Chenonetta jubata I: 1240, **1165**
Cheramoeca leucosternus VII: 1499, **1529, 1560**
chinensis (*Coturnix*) II: 414, **392**
chinensis (*Streptopelia*) III: 856, **848**
 CHIONIDIDAE II: 677
Chionis alba II: 677, **680**
Chionis minor II: 684, **680**
chirurgus (*Hydrophasianus*) II: 675, **641**
Chlamydera cerviniventris VII: 950, **865**
 guttata VII: 928, **897**
 maculata VII: 915, **897**
Chlamydera nuchalis VII: 936, **897**
Chlidonias hybridus III: 765, **704, 705**
 leucopterus III: 776, **704, 705**
 niger III: 785, **704, 705**
chloris (*Acanthisitta*) V: 60, **96**
chloris (*Carduelis*) VII: 1315, **1273**
chloris (*Todiramphus*) IV: 1201, **1184**
chlorolepidotus (*Trichoglossus*) IV: 212, **224**
chloronotus (*Gerygone*) VI: 385, **257**
chlororhynchos (*Diomedea*) I: 322, **312**
chlorotis (*Anas*) I: 1289, **1253**
chrysocephalus (*Sericulus*) VII: 873, **896**
Chrysococcyx basalis IV: 713, **736, 737**
 lucidus IV: 726, **736, 737**
 minutillus IV: 744, **736, 737**
 osculans IV: 705, **736, 737**
 russatus IV: 752, **736, 737**
chrysocome (*Eudypetes*) I: 182, **240**
chrysogaster (*Neophema*) IV: 558, **545**

chrysolophus (Eudypetes) I: 222, **240**
chrysops (Lichenostomus) V: 724, **672**
chrysoptera (Anthochaera) V: 489, **480**
chrysoptera (Daphoenositta) VI: 1000, **1024**
chrysopterygius (Psephotus) IV: 450, **448**
chrysorrhoea (Acanthiza) VI: 506, **449**
chrysostoma (Diomedea) I: 311, **305**
chrysostoma (Neophema) IV: 528, **544**
Chthonicola sagittata VI: 278, **192**
chukar (Alectoris) II: 386, **369**
ciconia (Ciconia) I: 1064
Ciconia ciconia I: 1064
CICONIIDAE I: 1063
CICONIIFORMES I: 953
Cincloramphus cruralis VII: 1686, **1721**
mathewsi VII: 1674, **1721**
Cinclosoma castaneothorax VI: 990, **897**
castanotus VI: 967, **896**
cinnamomeum VI: 980, **897**
punctatum VI: 956, **896**
CINCLOSOMATIDAE VI: 912
cincta (Notiomystis) V: 954, **1152**
cincta (Poephila) VII: 1148, **1144**
cinctus (Erythrogonys) II: 928, **872**
cinctus (Ptilinopus) III: 970, **960**
cinerea (Ardea) I: 955
cinerea (Callaeas) VII: 965, **992**
cinerea (Gallicrex) II: 575, 585
cinerea (Motacilla) VII: 1422, **1401**
cinerea (Procellaria) I: 579, **592**
cinerea (Struthidea) VII: 797, **768**
cinereus (Acridotheres) VII: 1892
cinereus (Artamus) VII: 438, **480**
cinereus (Porzana) II: 567, **584**
cinereus (Xenus) III: 165, 193
cinnamomeum (Cinclosoma) VI: 980, **897**
Circus approximans II: 105, **193, 200, 201**
assimilis II: 94, **193, 200, 201**
spilonotus II: 105
cirlus (Emberiza) VII: 1457, **1368**
cirrhocephalus (Accipiter) II: 150, **168, 169, 176**
Cisticola exilis VII: 1712, **1561**
juncidis VII: 1700, **1561**
citreogularis (Philemon) V: 561, **544**
citreogularis (Sericornis) VI: 149, **160**
citreola (Motacilla) VII: 1415, **1401**
citrinella (Emberiza) VII: 1449, **1368**
citrinellus (Zosterops) VII: 1734, **1752**
Cladorhynchus leucocephalus II: 780, **766**
clamosus (Atrichornis) V: 183, **225**
CLIMACTERIDAE V: 193

Climacteris affinis V: 212, **257**
erythroptera V: 219, **256**
melanura V: 242, **288**
picumnus V: 228, **257**
rufa V: 247, **288**
clypeata (*Anas*) I: 1348, **1316**
coccothraustes (*Coccothraustes*) VII: 1302
Coccothraustes coccothraustes VII: 1302
cockerelli (*Trichodere*) V: 985, **640**
coelebs (*Fringilla*) VII: 1305, **1273**
Coenocorypha aucklandica III: 54, **65**
pusilla III: 47, **65**
colchicus (*Phasianus*) II: 377, **384**
colensoi (*Phalacrocorax*) I: 885, **932**
Colinus virginianus II: 424
Collocalia esculenta IV: 1052, **1056**
Colluricincla boweri VI: 1180, **1121**
harmonica VI: 1189, **1152**
megarhyncha VI: 1169, **1121**
woodwardi VI: 1185, **1121**
collurio (*Lanius*) VII: 822
Columba leucomela III: 847, **833**
livia III: 838, **832**
vitiensis III: 846
COLUMBIDAE III: 834
COLUMBIFORMES III: 834
communis (*Sylvia*) VII: 1597
concinna (*Ducula*) III: 994, **992**
concinna (*Glossopsitta*) IV: 228, **256**
connivens (*Ninox*) IV: 841, **833**
Conopophila albogularis V: 1083, **1025**
rufogularis V: 1091, **1025**
whitei V: 1099, **1025**
conspicillatus (*Pelecanus*) I: 738, **740**
cookii (*Pterodroma*) I: 488, **496**
CORACIIDAE IV: 1225
CORACIIFORMES IV: 1094
Coracina lineata VII: 286, **257**
maxima VII: 317, **257**
novaehollandiae VII: 266, **256**
papuensis VII: 291, **256**
tenuirostris VII: 305, **257**
CORCORACIDAE VII: 773
Corcorax melanorhamphos VII: 775, **768**
Cormobates leucophaeus V: 197, **256**
corniculatus (*Philemon*) V: 546, **481**
coromandelianus (*Nettapus*) I: 1234, **1236**
coronatus (*Malurus*) V: 261, **289**
coronoides (*Corvus*) VII: 690, **736**
CORVIDAE VII: 671
Corvus bennetti VII: 745, **737**

coronoides VII: 690, **736**
frugilegus VII: 678, **737**
mellori VII: 729, **736**
monedula VII: 671
orru VII: 757, **737**
splendens VII: 770, **737**
tasmanicus VII: 717, **736**
coturnix (*Coturnix*) II: 423
Coturnix chinensis II: 414, **392**
coturnix II: 423
novaezelandiae II: 402
pectoralis II: 390, **385**
ypsilophora II: 404, **385**
Cracticus mentalis VII: 511, **512**
nigrogularis VII: 516, **481**
quoyi VII: 482, **481**
torquatus VII: 490, **512**
crassirostris (*Ailuroedus*) VII: 838, **864**
crassirostris (*Larus*) III: 485, **480, 512**
crassirostris (*Pachyptila*) I: 550, **528**
cratitius (*Lichenostomus*) V: 825, **768**
creatopus (*Puffinus*) I: 616, **625**
crex (*Crex*) II: 537
Crex crex II: 537
cristatus (*Aegotheles*) IV: 1037, **1025**
cristatus (*Lanius*) VII: 818, **769**
cristatus (*Pavo*) II: 372
cristatus (*Psophodes*) VI: 942, **865**
critsatus (*Podiceps*) I: 115, **113**
crocea (*Epthianura*) V: 1229, **1184**
cruralis (*Cincloramphus*) VII: 1686, **1721**
CUCULIDAE IV: 648
CUCULIFORMES IV: 647
cucullata (*Melanodryas*) VI: 732, **704**
Cuculus canorus IV: 652
gularis IV: 652
pallidus IV: 662, **672**
saturatus IV: 653, **672**
cuneata (*Geopelia*) III: 942, **929**
cupido (*Tympanuchus*) II: 424
cyaneus (*Malurus*) V: 269, **320**
cyanoleuca (*Grallina*) VII: 134, **225**
cyanoleuca (*Myiagra*) VII: 104, **96**
cyanomelana (*Cyanoptila*) VII: 1817, **1848**
cyanopterus (*Artamus*) VII: 453, **480**
Cyanoptila cyanomelana VII: 1817, **1848**
Cyanoramphus auriceps IV: 492, **449**
novaezelandiae IV: 475, **449**
unicolor IV: 469, **449**
cyanotis (*Entomyzon*) V: 598, **544**
Cyclopsitta diophthalma IV: 261, **225**

Cygnus atratus I: 1178, **1196**
olor I: 1175, 1196

Dacelo leachii IV: 1139, **1152**
novaeguineae IV: 1122, **1121**
dactylatra (*Sula*) I: 763, **757, 797**
Daphoenositta chrysoptera VI: 1000, **1024**
Daption capense I: 391, 400
Dasyornis brachypterus VI: 95, **96**
broadbenti VI: 114, **96**
longirostris VI: 108, **96**
dasypus (*Hirundo*) VII: 1583, **1529, 1560**
daurica (*Hirundo*) VII: 1549, **1529, 1560**
Dendrocygna arcuata I: 1134, **1133**
eytoni I: 1127, **1133**
 Dendrocygninae I: 1127
dentirostris (*Scenopoeetes*) VII: 848, **865**
desolata (*Pachyptila*) I: 526, **529**
 DICAIEIDAE VII: 1474
Dicaeum geelvinkianum VII: 1491, **1528**
hirundinaceum VII: 1476, **1528**
 DICRURIDAE VII: 33
Dicrurus bracteatus VII: 249, **225**
dieffenbachi (*Gallirallus*) II: 528
diomedea (*Calonectris*) I: 586, **593**
Diomedea bulleri I: 330, **313**
cauta I: 301, **297, 304**
chlororhynchos I: 322, **312**
chrysostoma I: 311, **305**
epomophora I: 282, **280, 281**
exulans I: 265, **272, 273**
melanophrys I: 290, **296**
Diomedea nigripes I: 290
 DIOMEDEIDAE I: 264
diophthalma (*Cyclopsitta*) IV: 261, **225**
discolor (*Lathamus*) IV: 412, **256**
discors (*Anas*) I: 1339
dissimilis (*Psephotus*) IV: 458, **448**
domesticus (*Passer*) VII: 1070, **1112**
dominica (*Pluvialis*) II: 810
dominicanus (*Larus*) III: 490, **480, 481**
dorotheae (*Amytornis*) V: 409, **416**
dougallii (*Sterna*) III: 621, **608, 609**
 DROMAIIDAE I: 47
Dromaius ater I: 59
baudinianus I: 59
novaehollandiae I: 47, **56**
Drymodes brunneopygia VI: 830, **737**
superciliaris VI: 826, **737**
Dryolimnas pectoralis II: 529, **521**
dubius (*Charadrius*) II: 832, **785**

Ducula bicolor III: 1001, **960**
concinna III: 994, **992**
mullerii III: 999, **992**
whartoni III: 996, **992**

eatonii (*Anas*) I: 1306, **1300**
Eclectus roratus IV: 248, **257**
Egretta (see *Ardea*)
Elanus axillaris II: 35, **40, 41**
scriptus II: 45, **40, 41**
elegans (*Malurus*) V: 339, **384**
elegans (*Neophema*) IV: 540, **544**
elegans (*Phaps*) III: 890, **881**
elegans (*Platycercus*) IV: 321, **320, 321**
Elseyornis melanops II: 892, **872**
Emberiza cirrus VII: 1457, **1368**
citrinella VII: 1449, **1368**
hortulana VII: 1446
schoeniclus VII: 1446
 EMBERIZIDAE VII: 1446
Emblema pictum VII: 1243, **1145**
Entomyzon cyanotis V: 598, **544**
Eolophus roseicapillus IV: 104, **128**
Eopsaltria australis VI: 770, **736**
georgiana VI: 798, **736**
griseogularis VI: 789, **736**
pulverulenta VI: 805, **704**
Ephippiorhynchus asiaticus I: 1064, **1068**
epomophora (*Diomedea*) I: 282, **280, 281**
Ephianura albifrons V: 1239, **1185**
aurifrons V: 1220, **1184, 1185**
crocea V: 1229, **1184**
tricolor V: 1207, **1153**
Eremiornis carteri VII: 1667, **1720**
Erithacus rubecula VII: 1802
erythrocephala (*Myzomela*) V: 1158, **929**
erythrogaster (*Pitta*) V: 95, **97**
Erythronys cinctus II: 928, **872**
erythroptus (*Climacteris*) V: 219, **256**
erythropterus (*Aprosmictus*) IV: 278, **288**
erythropus (*Tringa*) III: 128, **161**
Erythrotriorchis radiatus II: 214, **192**
Erythrura gouldiae VII: 1290, **1272**
trichroa VII: 1284, **1272**
Esacus magnirostris II: 708, 712
esculenta (*Collocalia*) IV: 1052, **1056**
 ESTRILDIDAE VII: 1098
Eudynamys scolopacea IV: 760, **768**
taitensis IV: 773, **768**
Eudyptes chrysocome I: 182, **240**
chrysolophus I: 222, **240**

minor I: 246, **241**
pachyrhynchus I: 195, **209**
robustus I: 205, **209**
schlegeli I: 230, **240**
sclateri I: 215, **209**
Eulabeornis castaneoventris II: 571, **552**
eulophotes (Ardea) I: 1002
Euplectes albonotatus VII: 1097
orix VII: 1097
Eurostopodus argus IV: 1013, **1024, 1025**
mystacalis IV: 1003, **1024, 1025**
Eurystomus glaucurus IV: 1226
orientalis IV: 1227, **1216**
ewingii (Acanthiza) VI: 451, **289**
exilis (Cisticola) VII: 1712, **1561**
eximius (Platycercus) IV: 341, **352**
externa (Pterodroma) I: 468, **488**
exulans (Diomedea) I: 265, **272, 273**
eytoni (Dendrocygna) I: 1127, **1133**

falcinellus (Limicola) III: 333, **288, 289**
falcinellus (Plegadis) I: 1072, **1069**
Falco berigora II: 237, **305, 320**
cenchroides II: 253, **257, 264, 265**
hypoleucos II: 291, **257, 264, 265**
longipennis II: 268, **257, 264, 265**
novaeseelandiae II: 279, **304**
peregrinus II: 307, 257, **264, 265**
subniger II: 299, **305, 320**

FALCONIDAE II: 235
FALCONIFORMES II: 21
Falcunculus frontatus VI: 1050, **1056**
fallax (Glycichaera) V: 966, **640**
fasciata (Rallina) II: 493, **488**
fasciatus (Accipiter) II: 134, **168, 169, 176**
fasciatus (Ramsayornis) V: 1078, **929**
fascinans (Microeca) VI: 577, **608**
fasciocularis (Lichenostomus) V: 759, **673**
fasciolata (Locustella) VII: 1629
featherstoni (Phalacrocorax) I: 844, **869**
ferruginea (Calidris) III: 315, **352, 353**
Ficedula narcissina VII: 1813, **1848**
fimbriatum (Callocephalon) IV: 94, **128**
finschi (Haematopus) II: 727, **713**
flabelliformis (Cacomantis) IV: 692, **673**
flammea (Carduelis) VII: 1345, **1368**
flava (Motacilla) VII: 1401, **1401**
flavescens (Lichenostomus) V: 872, **769**
flavicollis (Ixobrychus) I: 1049, **1053**
flavicollis (Lichenostomus) V: 796, **737**
flavigaster (Microeca) VI: 591, **608**

flavigula (*Manorina*) V: 650, **577**
flavipes (*Platalea*) I: 1104, **1101**
flavipes (*Tringa*) III: 153, **192**
flaviprymna (*Lonchura*) VII: 1256, **1241**
flavirostris (*Acanthis*) VII: 1302
flavirostris (*Anas*) I: 1263
flaviventer (*Machaerirhynchus*) 37, **65**
flaviventer (*Xanthotis*) V: 680, **640**
flavocinctus (*Oriolus*) VII: 359, **353**
flavus (*Lichenostomus*) V: 773, **736**
floccosus (*Pycnoptilus*) VI: 125, **161**
fluminea (*Porzana*) II: 551, **553**
forsteri (*Aptenodytes*) I: 136, **144**
frater (*Monarcha*) VII: 50, **64**
Fregata andrewsi I: 928, **933, 948**
 ariel I: 921, **933, 948**
 minor I: 913, **933, 948**
FREGATIDAE I: 912
Fregetta grallaria I: 706, **681**
 tropica I: 700, 681
frenatus (*Lichenostomus*) V: 715, **672**
Fringilla coelebs VII: 1305, **1273**
 montifringilla VII: 1302
FRINGILLIDAE VII: 1302
frontalis (*Anarhynchus*) II: 919, **801**
frontalis (*Sericornis*) VI: 161, **97**
frontatus (*Falcunculus*) VI: 1050, **1056**
frugilegus (*Corvus*) VII: 678, **737**
Fulica atra II: 625, 617
fulicaria (*Phalaropus*) III: 360, **369**
fuliginosa (*Rhipidura*) VII: 174, **224**
fuliginosa (*Strepera*) VII: 556, **513, 608**
fuliginosus (*Calamanthus*) VI: 247, **193**
fuliginosus (*Haematopus*) II: 740, **744**
Fulmarus glacialis I: 376, **400**
fulva (*Pluvialis*) II: 800, 777
funereus (*Calyptorhynchus*) IV: 66, **96**
fusca (*Aplonis*) VII: 1895
fusca (*Gerygone*) VI: 360, **256**
fusca (*Phoebetria*) I: 338, **328**
fusca (*Porzana*) II: 557, **584**
fuscata (*Sterna*) III: 752, **673**
fuscescens (*Phalacrocorax*) I: 896, **869**
fuscicollis (*Calidris*) III: 279, **288, 289**
fuscus (*Larus*) III: 516
fuscus (*Lichenostomus*) V: 858, **769**

galatea (*Tanysiptera*) IV: 1112
galerita (*Cacatua*) IV: 163, **160**
Gallicolumba norfolciensis III: 969
Gallicrex cinerea II: 575, **585**

GALLIFORMES II: 321
gallinacea (Irediparra) II: 668, 641
Gallinago hardwickii III: 21, 64
 megala III: 42, 64
 stenura III: 38, 64
 Unidentified III: 47
 Gallinagoninae III: 28
Gallinula mortierii II: 615, 624
 tenebrosa II: 600, 617
 ventralis II: 609, 624
Gallirallus australis II: 506, 520
 dieffenbachi II: 528
 modestus II: 527
 philippensis II: 495, 489
 sylvestris II: 520, 489
gallopavo (Meleagris) II: 354
gallus (Gallus) II: 364
Gallus gallus II: 364
 varius II: 423
Garrodia (see Oceanites)
garzetta (Ardea) I: 996, 981
gavia (Puffinus) I: 649, 657
geelvinkianum (Dicaeum) VII: 1491, 1528
geoffroyi (Geoffroyus) IV: 255, 257
Geoffroyus geoffroyi IV: 255, 257
Geopelia cuneata III: 942, 929
 humeralis III: 957, 849
 striata III: 949, 929
Geophaps plumifera III: 912, 897
 scripta III: 927, 928
 smithii III: 927, 928
georgiana (Eopsaltria) VI: 798, 736
georgianus (Phalacrocorax) I: 851
georgica (Anas) I: 1303, 1300
georgicus (Pelecanoides) I: 719, 688
Gerygone albofrontata VI: 334, 288
 chloronotus VI: 385, 257
 fusca VI: 360, 256
 igata VI: 319, 288
 insularis VI: 374
 levigaster VI: 351, 256
 magnirostris VI: 376, 256
 modesta VI: 341, 288
 mouki VI: 308, 257
 olivacea VI: 399, 257
 palpebrosa VI: 391, 257
 ruficauda VI: 414
 tenebrosa VI: 345, 256
giganteus (Macronectes) I: 356, 368
gilviventris (Xenicus) V: 81, 96
glacialoides (Fulmarus) I: 376, 400

glareola (*Tringa*) **III**: 158, **224**
Glareola maldivarum **III**: 366, **384**
GLAREOLIDAE **III**: 365
glaucurus (*Eurystomus*) **IV**: 1226
Glossopsitta concinna **IV**: 228, **256**
 porphyrocephala **IV**: 241, **256**
 pusilla **IV**: 236, **256**
Glycichaera fallax **V**: 966, **640**
goodenovii (*Petroica*) **VI**: 649, **640**
gouldiae (*Erythrura*) **VII**: 1290, **1272**
goyderi (*Amytornis*) **V**: 430, **417**
gracilis (*Anas*) **I**: 1266, **1252**
gracilis (*Meliphaga*) **V**: 703, **641**
Gracula religiosa **VII**: 1892
graculina (*Strepera*) **VII**: 529, **513**, **608**
grallaria (*Fregetta*) **I**: 706, **681**
grallarius (*Burhinus*) **II**: 696, **681**
Grallina cyanoleuca **VII**: 134, **225**
gramineus (*Megalurus*) **VII**: 1638, **1720**
Grantiella picta **V**: 989, **545**
gravis (*Puffinus*) **I**: 619, **592**
griseiceps (*Microeca*) **VI**: 600, **608**
griseogularis (*Eopsaltria*) **VI**: 789, **736**
griseus (*Puffinus*) **I**: 622, **656**
GRUIDAE **II**: 469
GRUIFORMES **II**: 469
Grus antigone **II**: 480, **457**
 rubicundus **II**: 470, **456**
gularis (*Cuculus*) **IV**: 652
gularis (*Melithreptus*) **V**: 897, **896**
gurneyi (*Aquila*) **II**: 163, **232**, **233**
gustavi (*Anthus*) **VII**: 1391, **1400**
guttata (*Catharus*) **VII**: 1802
guttata (*Chlamydera*) **VII**: 928, **897**
guttata (*Stagonopleura*) **VII**: 1212, **1240**
guttata (*Taeniopygia*) **VII**: 1102, **1113**
guttifer (*Tringa*) **III**: 152
gutturalis (*Oreoica*) **VI**: 1064, **1056**
gutturalis (*Oreoscopus*) **VI**: 143, **161**
Gygis alba **III**: 825, **800**, **801**
Gymnorhina tibicen **VII**: 579, **609**

haastii (*Apteryx*) **I**: 86, **73**
habroptilus (*Strigops*) **IV**: 633, **641**
haemastica (*Limosa*) **III**: 77, **96**
haematodus (*Trichoglossus*) **IV**: 195, **224**
haematogaster (*Norhiella*) **IV**: 400, **416**
haematonotus (*Psephotus*) **IV**: 425, **417**
HAEMATOPODIDAE **II**: 715
Haematopus chathamensis **II**: 734, **713**
 finschi **II**: 727, **713**

fuliginosus II: 740, **744**
longirostris II: 716, **744**
unicolor II: 748, **713**
 HALCYONIDAE IV: 1112
Haliaeetus leucogaster II: 81, **240, 241**
haliaeetus (*Pandion*) II: 225, **256**
Haliastur indus II: 63, **105, 136, 137**
 sphenurus II: 71, **104, 105, 136**
halli (*Macronectes*) I: 370, **369**
halli (*Pomatostomus*) VI: 899, **864**
Halobaena caerulea I: 508, **528**
Hamirostra melanosternon II: 193, **72, 73**
hardwickii (*Gallinago*) III: 21, **64**
harmonica (*Colluricincla*) VI: 1189, **1152**
hartlaubii (*Larus*) III: 517
heinei (*Zoothera*) VII: 1836, **1816**
Hemiphaga novaeseelandiae III: 1016, **993**
Heteralocha acutirostris VII: 1014
Heteromunia pectoralis VII: 1278, **1272**
Heteromyias albispecularis VI: 818, **705**
Heteroscelus brevipes III: 180, **225**
 incanus III: 188, **225**
hiaticula (*Charadrius*) II: 828, **785**
Hieraaetus morphnoides II: 180, **105, 136, 137**
himantopus (*Himantopus*) II: 758, **745**
himantopus (*Micropalama*) III: 326, **352, 353**
Himantopus himantopus II: 758, **745**
 novaezealandiae II: 769, **745**
hindwoodi (*Lichenostomus*) V: 720, **672**
Hirundapus caudacutus IV: 1070, **1057**
hirundinaceum (*Dicaeum*) VII: 1476, **1528**
 HIRUNDINIDAE VII: 1495
hirundo (*Sterna*) III: 655, **608, 609**
Hirundo ariel VII: 1568, **1529, 1560**
 dasyopus VII: 1583, **1529, 1560**
 aurica VII: 1549, **1529, 1560**
 neoxena VII: 1517, **1529, 1560**
 nigricans VII: 1553, **1529, 1560**
 rustica VII: 1508, **1529, 1560**
 tahitica VII: 1548
histrionica (*Phaps*) III: 896, **896**
hollandicus (*Nymphicus*) IV: 176, **161**
hortulana (*Emberiza*) VII: 1446
housei (*Amytornis*) V: 398, **416**
humeralis (*Geopelia*) III: 957, **849**
humilis (*Sericornis*) VI: 191, **97**
huttoni (*Puffinus*) I: 655, **657**
hybridus (*Chlidonias*) III: 765, **704, 705**
 HYDROBATIDAE I: 674
Hydrophasianus chirurgus II: 675, **641**
Hylacola cauta VI: 238, **192**

pyrrhopygia VI: 228, **192**
Hymenolaimus malacorhynchos I: 1255, **1229**
hypoleucos (*Actitis*) III: 173, **224**
hypoleucos (*Falco*) II: 291, **257, 264, 265**
hypoxanthus (*Ploceus*) VII: 1097

ibis (*Ardea*) I: 1017, 981
ICTERIDAE VII: 1445
icterotis (*Platycercus*) IV: 369, **384**
igata (*Gerygone*) VI: 319, **288**
ignita (*Lophura*) II: 423
impejanus (*Lophophorus*) II: 423
incanus (*Heteroscelus*) III: 188, **225**
indica (*Chalcophaps*) III: 873, **880**
indistincta (*Lichmera*) V: 970, **929**
indus (*Haliastur*) II: 63, **105, 136, 137**
inexpectata (*Pterodroma*) I: 460, **473**
inornata (*Acanthiza*) VI: 475, **449**
inornata (*Pachycephala*) VI: 1092, **1120**
inquieta (*Myiagra*) VII: 121, **97**
insularis (*Gerygone*) VI: 374
intermedia (*Ardea*) I: 978, **965**
interpretes (*Arenaria*) III: 194, **256**
iredalei (*Acanthiza*) VI: 496, **449**
Irediparra gallinacea II: 668, **641**
iris (*Pitta*) V: 117, **97**
isabella (*Stiltia*) III: 372, **384**
isabellina (*Oenanthe*) VII: 1809, **1848**
isura (*Lophoictinia*) II: 205, **72, 73**
Ixobrychus flavicollis I: 1049, **1053**
 minutus I: 1039, **1052**
 novaezealandiae I: **1045**
 sinensis I: 1047, **1052**

JACANIDAE II: 667
javanica (*Mirafra*) VII: 1021, **993**
jocosus (*Pycnonotus*) VII: 1589, **769**
jubata (*Chenonetta*) I: 1240, **1165**
jugularis (*Nectarinia*) VII: 1464, **1528**
juncidis (*Cisticola*) VII: 1700, **1561**

katherina (*Acanthiza*) VI: 414, **289**
kaupi (*Arses*) 77, **65**
keartlandi (*Lichenostomus*) V: 834, **768**
keraudrenii (*Manucodia*) VII: 663, **641**
keri (*Sericornis*) VI: 200, **160**
Ketupa ketupu IV: 811
ketupu (*Ketupa*) IV: 811

lagopus (*Lagopus*) II: 423
Lagopus lagopus II: 423

Lalage leucomela VII: 344, **352**
 leucopygia VII: 353
 sueurii VII: 325, **352**
lamberti (*Malurus*) V: 310, **321, 384**
lanceolata (*Plectorhyncha*) V: 521, **545**
 LANIIDAE VII: 816
lanioides (*Pachycephala*) VI: 1162, **1089**
Lanius collurio VII: 822
 cristatus VII: 818, **769**
lapponica (*Limosa*) III: 82, **97**
 LARIDAE III: 384
 Larinae III: 468
Larus atlanticus III: 484
 atricilla III: 561, **544, 545**
 bulleri III: 545, **513, 545**
 crassirostris III: 485, **480, 512**
 dominicanus III: 490, **480, 481**
 fuscus III: 516
 hartlaubii III: 517
 modestus III: 489
 novaehollandiae III: 517, **513, 545**
 pacificus III: 471, **449, 480**
 pipixcan III: 565, **544, 545**
 ridibundus III: 558, **513, 545**
 sabini III: 569, **512, 545**
 scoresbii III: 470
lateralis (*Zosterops*) VII: 1745, **1753**
lathamii (*Alectura*) II: 341, **368**
lathamii (*Calyptorhynchus*) IV: 52, **64**
Lathamus discolor IV: 412, **256**
latirostris (*Calyptorhynchus*) IV: 78, **97**
leachii (*Dacelo*) IV: 1139, **1152**
leadbeateri (*Cacatua*) IV: 154, **160**
Leiothrix lutea VII: 1597
Leipoa ocellata II: 331, **321**
lepturus (*Phaethon*) I: 945, **949**
leschenaultii (*Charadrius*) II: 868, **840**
lessonii (*Pterodroma*) I: 420, **432**
Leucocarbo (see *Phalacrocorax*)
leucocephalus (*Cladorhynchus*) II: 780, **776**
leucogaster (*Haliaeetus*) II: 81, **240, 241**
leucogaster (*Sula*) I: 781, **757, 797**
leucomela (*Columba*) III: 847, **833**
leucomela (*Lalage*) VII: 344, **352**
leucomelas (*Calonectris*) I: 589, **593**
leucophaeus (*Cormobates*) V: 197, **256**
leucophrys (*Rhipidura*) VII: 225, **97**
leucops (*Tregellasia*) VI: 765, **705**
leucopsis (*Aphelocephala*) VI: 550, **481**
leucoptera (*Pterodroma*) I: 501, **497**
leucopterus (*Chlidonias*) III: 776, **704, 705**

leucopterus (*Malurus*) V: 348, **289**
leucopyga (*Tachycineta*) VII: 1585
leucopygia (*Lalage*) VII: 353
leucorhoa (*Oceanodroma*) I: 713, **665**
leucorynchus (*Artamus*) VII: 399, **385**
Leucosarcia melanoleuca III: 964, **880**
leucosternus (*Cheramoeca*) VII: 1499, **1529, 1560**
leucotis (*Lichenostomus*) V: 778, **737**
leucotis (*Monarcha*) VII: 64, **65**
levigaster (*Gerygone*) VI: 351, **256**
lewini (*Meliphaga*) V: 685, **641**
lherminieri (*Puffinus*) I: 662, **664**
Lichenostomus chrysops V: 724, **672**
 cratitius V: 825, **768**
 fasciogularis V: 759, **673**
 flavescens V: 872, **769**
 flavicollis V: 796, **737**
 flavus V: 773, **736**
 frenatus V: 715, **672**
 fuscus V: 858, **769**
 hindwoodi V: 720, **672**
 keartlandi V: 834, **768**
 leucotis V: 778, **737**
 melanops V: 806, **737**
 ornatus V: 840, **768**
 penicillatus V: 879, **769**
 plumulus V: 849, **768**
 unicolor V: 763, **736**
 versicolor V: 754, **673**
 virescens V: 740, **673**
Lichmera indistincta V: 970, **929**
Limicola falcinellus III: 333, **288, 289**
Limnodrominae III: 205
Limnodromus semipalmatus III: 206, **97**
limosa (*Limosa*) III: 68, **96**
Limosa haemastica III: 77, **96**
 lapponica III: 82, **97**
 limosa III: 68, **96**
lineata (*Acanthiza*) VI: 535, **480**
lineata (*Coracina*) VII: 286, **257**
livia (*Columba*) III: 838, **832**
lobata (*Biziura*) I: 1152, **1164**
lobatus (*Phalaropus*) III: 352, **369**
Locustella fasciolata VII: 1629
Lonchura castaneothorax VII: 1261, **1241**
 flaviprymna VII: 1256, **1241**
 malacca VII: 1098
 oryzivora VII: 1270, **1112**
 pallida VII: 1276, **1241**
 punctulata VII: 1250, **1241**
longicauda (*Bartramia*) III: 125, **128**

longicaudus (*Stercorarius*) **III**: 459, **385**, **417**, **448**
longipennis (*Falco*) **II**: 268, **257**, **264**, **265**
longipes (*Xenicus*) **V**: 76, **96**
longirostris (*Dasyornis*) **VI**: 108, **96**
longirostris (*Haematopus*) **II**: 716, **744**
longirostris (*Pterodroma*) **I**: 494, **497**
Lophoictinia isura **II**: 205, **72**, **73**
Lopholaimus antarcticus **III**: 1009, **833**
Lophophorus impejanus **II**: 423
Lophortyx californicus **II**: 358, **369**
lophotes (*Ocyphaps*) **III**: 903, **897**
Lophura ignita **II**: 423
 nycthemera **II**: 423
lovensis (*Ashbyia*) **V**: 1253, **1153**
loyca (*Sturnella*) **VII**: 1445
lucidus (*Chrysococcyx*) **IV**: 726, **736**, **737**
lugens (*Motacilla*) **VII**: 1436, **1400**
Lugensa (*see Pterodroma*)
lunatus (*Melithreptus*) **V**: 935, **897**
lunulata (*Anthochaera*) **V**: 503, **480**
lunulata (*Zoothera*) **VII**: 1820, **1816**
Luscinia megarhynchos **VII**: 1802
lutea (*Leiothrix*) **VII**: 1597
luteus (*Zosterops*) **VII**: 1737, **1752**
lyalli (*Traversia*) **V**: 90

maccormicki (*Catharacta*) **III**: 412, **385**, **416**
Machaerirhynchus flaviventer **VII**: 37, **65**
macleayana (*Xanthotis*) **V**: 676, **640**
macleayii (*Todiramphus*) **IV**: 1159, **1153**
macloviana (*Muscisaxicola*) **V**: 56
macrocephala (*Petroica*) **VI**: 629, **609**
Macronectes giganteus **I**: 356, **368**
 halli **I**: 370, 369
macroptera (*Pterodroma*) **I**: 410, **401**
Macropygia amboinensis **III**: 866, **849**
macrurus (*Caprimulgus*) **IV**: 1024, **1024**, **1025**
maculata (*Chlamydera*) **VII**: 915, **897**
maculoso (*Turnix*) **II**: 426, **392**
madagascariensis (*Numenius*) **III**: 117, **160**
magellanicus (*Spheniscus*) **I**: 259, **241**
magentae (*Pterodroma*) **I**: 429, **432**
magnificus (*Ptilinopus*) **III**: 974, **960**
magnificus (*Ptiloris*) **VII**: 654, **641**
magnirostris (*Esacus*) **II**: 708, **712**
magnirostris (*Gerygone*) **VI**: 376, **256**
magnirostris (*Sericornis*) **VI**: 205, **160**
magnus (*Acanthornis*) **VI**: 221, **161**
malacca (*Lonchura*) **VII**: 1098
malachurus (*Stipiturus*) **V**: 371, **385**
malacorhynchus (*Hymenolaimus*) **I**: 1255, **1229**

Malacorhynchus membranaceus I: 1247, **1237**
maldivarum (*Glareola*) III: 366, **384**
mallee (*Stipiturus*) V: 381, **385**
 MALURIDAE V: 257
Malurus amabilis V: 327, **321**
 coronatus V: 261, **289**
 cyaneus V: 269, **320**
 elegans V: 339, **384**
 lamberti V: 310, **321, 384**
 leucopterus V: 348, **289**
 melanocephalus V: 361, **289**
 pulcherrimus V: 332, **384**
 splendens V: 294, **320**
Manorina flavigula V: 650, **577**
 melanocephala V: 626, **576**
 melanophrys V: 609, **576**
 melanotis V: 664, **577**
mantelli (*Porphyrio*) II: 593, **616**
Manucodia keraudrenii VII: 663, **641**
marina (*Pelagodroma*) I: 692, **680**
martinica (*Porphyrio*) II: 576, **585**
mathewsi (*Cincloramphus*) VII: 1674, **1721**
matsudairae (*Oceanodroma*) I: 717, **665**
mauri (*Calidris*) III: 246
maxima (*Coracina*) VII: 317, **257**
Megadyptes antipodes I: 236, **208**
megala (*Gallinago*) III: 42, **64**
Megalurus gramineus VII: 1638, **1720**
 timoriensis VII: 1629, **1720**
 MEGAPODIIDAE II: 322
Megapodius reinwardt II: 323, **321**
megarhyncha (*Colluricincla*) VI: 1169, **1121**
megarhynchos (*Luscinia*) VII: 1802
melanocephala (*Manorina*) V: 626, **576**
melanocephalus (*Malurus*) V: 361, **289**
Melanodryas cucullata VI: 732, **704**
 vittata VI: 748, **704**
melanogaster (*Anhinga*) I: 798, **828**
melanogaster (*Turnix*) II: 448, **393**
melanogenis (*Phalacrocorax*) I: 857, **884**
melanoleuca (*Leucosarcia*) III: 964, **880**
melanoleucos (*Phalacrocorax*) I: 902, **868**
melanolophus (*Nycticorax*) I: 1037, **1020**
melanophrys (*Diomedea*) I: 290, **296**
melanophrys (*Manorina*) V: 609, **576**
melanops (*Elsyornis*) II: 892, **872**
melanops (*Lichenostomus*) V: 806, **737**
melanops (*Phylidonyris*) V: 1061, **1024**
melanopsis (*Monarcha*) VII: 42, **64**
melanorhamphos (*Corcorax*) VII: 775, **768**
melanosternon (*Hamirostra*) II: 193, **72, 73**

melanotis (Ailuroedus) VII: 827, **864**
melanotis (Manorina) V: 664, **577**
melanotos (Calidris) III: 287, 321
melanura (Anthornis) V: 1173, **1152**
melanura (Climacteris) V: 242, **288**
melanura (Pachycephala) VI: 1122, **1057**
 MELEAGRIDIDAE II: 354
meleagris (Numida) II: 424
Meleagris gallopavo II: 354
Meliphaga albilineata V: 709, **736**
 gracilis V: 703, **641**
 lewinii V: 685, **641**
 notata V: 697, **641**
 MELIPHAGIDAE V: 457
Melithreptus affinis V: 948, **928**
 albogularis V: 927, **897**
 brevirostris V: 914, **928**
 gularis V: 897, **896**
 lunatus V: 935, **897**
 validirostris V: 908, **896**
mellori (Corvus) VII: 729, **736**
Melopsittacus undulatus IV: 504, **512**
membranaceus (Malacorhynchus) I: 1247, **1237**
mentalis (Cracticus) VII: 511, **512**
Menura alberti V: 129, **129**
 novaehollandiae V: 142, **224**
 MENURIDAE V: 126
 Merginae I: 1363
Mergus australis I: 1363
meridionalis (Nestor) IV: 623, **640**
 MEROPIDAE IV: 1209
Merops ornatus IV: 1210, **1216**
merrotsyi (Amytornis) V: 426, **417**
merula (Turdus) VII: 1844, **1817**
metallica (Aplonis) VII: 1896, **1849**
Microeca fascinans VI: 577, **608**
 flavigaster VI: 591, **608**
 griseoiceps VI: 600, **608**
Micropalama himantopus III: 326, **352, 353**
migrans (Milvus) II: 53, **104, 105, 136**
miles (Vanellus) II: 943, **873**
Milvus migrans II: 53, **104, 105, 136**
minor (Artamus) VII: 473, **480**
minor (Chionis) II: 684, **680**
minor (Eudiptula) I: 246, **241**
minor (Fregata) I: 913, **933, 948**
minuta (Calidris) III: 250, **289, 320**
minutilla (Calidris) III: 279
minutillus (Chrysococcyx) IV: 744, **736, 737**
minutus (Anous) III: 801, **800, 801**
minutus (Ixobrychus) I: 1039, **1052**

minutus (*Numenius*) III: 95, **128**
Mirafra javanica VII: 1021, **993**
modesta (*Gerygone*) VI: 341, **288**
modesta (*Neochmia*) VII: 1188, **1113**
modestus (*Gallirallus*) II: 527
modestus (*Larus*) III: 489
modestus (*Ramsayornis*) V: 1071, **929**
modularis (*Prunella*) VII: 1059, **1112**
Mohoua albicilla VI: 1023, **1025**
 novaeseelandiae VI: 1041, **1025**
 ochrocephala VI: 1032, **1025**
mollis (*Pterodroma*) I: 453, **472**
molucca (*Threskiornis*) I: 1078, **1100**
moluccensis (*Pitta*) V: 103, **128**
Monarcha frater VII: 50, **64**
 leucotis VII: 64, **65**
 melanopsis VII: 42, **64**
 trivirgatus VII: 54, **64**
monedula (*Corvus*) VII: 671
monedula (*Corvus*) [671]
mongolus (*Charadrius*) II: 860, **840**
montanus (*Passer*) VII: 1089, **1112**
monticola (*Oenanthe*) VII: 1809
Monticola solitarius VII: 1805, **1816**
montifringilla (*Fringilla*) VII: 1302
morphnoides (*Hieraaetus*) II: 180, **105, 136, 137**
mortierii (*Gallinula*) II: 615, **624**
Morus (*see Sula*)
Motacilla alba VII: 1426, **1400**
 cinerea VII: 1422, **1401**
 citreola VII: 1415, **1401**
 flava VII: 1401, **1401**
 lugens VII: 1436, **1400**
MOTACILLIDAE VII: 1356
mouki (*Gerygone*) VI: 308, **257**
mullerii (*Ducula*) III: 999, **992**
multicolor (*Petroica*) VI: 04, **609, 640**
multipunctata (*Tyto*) IV: 902, **865**
Muscicapa sibirica VII: 1813
MUSCICAPIDAE VII: 1802
Muscisaxicola macloviana V: 56
Myiagra alecto VII: 114, **97**
 cyanoleuca VII: 104, **96**
 inquieta VII: 121, **97**
 rubecula VII: 88, **96**
 ruficollis VII: 82, **96**
mystacalis (*Eurostopodus*) IV: 1003, **1024, 1025**
Myzomela erythrocephala V: 1158, **929**
 obscura V: 1150, **929**
 sanguinolenta V: 1165, **929**

naevosa (*Stictonetta*) I: 1160, **1165**
nana (*Acanthiza*) VI: 525, **480**
narcissina (*Ficedula*) VII: 1813, **1848**
natalis (*Ninox*) IV: 879, **833**
natalis (*Zosterops*) VII: 1730, **1752**
nativitatis (*Puffinus*) I: 644, **560**
nebularia (*Tringa*) III: 144, **193**
Nectarinia jugularis VII: 1464, **1528**
 NECTARINIIDAE VII: 1462
neglecta (*Pterodroma*) I: 436, **464**
Neochmia modesta VII: 1188, **1113**
 phaeton VII: 1167, **1145**
 ruficauda VII: 1178, **1145**
 temporalis VII: 1196, **1240**
Neophema chrysogaster IV: 558, **545**
 chrysostoma IV: 528, **544**
 elegans IV: 540, **544**
Neophema petrophila IV: 549, **545**
 pulchella IV: 573, **513**
 splendida IV: 584, **513**
Neopsephotus bourkii IV: 521, **513**
 NEOSITTIDAE VI: 999
neoxena (*Hirundo*) VII: 1517, **1529, 1560**
neréis (*Oceanites*) I: 686, **680**
neréis (*Sterna*) III: 725, **672**
nesiotis (*Anas*) I: 1300
Nestor meridionalis IV: 623, **640**
 notabilis IV: 613, **640**
 productus IV: 633
Nettapus coromandelianus I: 1234, **1236**
 pulchellus I: 1229, **1236**
newtoniana (*Prionodura*) VII: 860, **865**
niger (*Certhionyx*) V: 1133, **1057**
niger (*Chlidonias*) III: 785, **704, 705**
nigra (*Phylidonyris*) V: 1039, **1024**
nigricans (*Hirundo*) VII: 1553, **1529, 1560**
nigricincta (*Aphelocephala*) VI: 568, **481**
nigripennis (*Pterodroma*) I: 478, **489**
nigripes (*Diomedea*) I: 290
nigrogularis (*Cracticus*) VII: 516, **481**
nigrogularis (*Psophodes*) VI: 929, **865**
nilotica (*Sterna*) III: 576, **576**
Ninox connivens IV: 841, **833**
 natalis IV: 879, **833**
 novaeseelandiae IV: 852, **864**
 rufa IV: 833, **832**
 scutulata IV: 875, **833**
 strenua IV: 818, **832**
nivalis (*Phalacrocorax*) I: 854, **884**
nivea (*Pagodroma*) I: 402, **400**
noctua (*Athene*) IV: 812, **864**

norfolciensis (*Galliocolumba*) III: 969
Northiella haematogaster IV: 400, **416**
notabilis (*Nestor*) IV: 613, **640**
notata (*Meliphaga*) V: 697, **641**
Notiomystis cincta V: 954, **1152**
novaeguineae (*Dacelo*) IV: 1122, **1121**
novaehollandiae (*Accipiter*) II: 122, **177**
novaehollandiae (*Ardea*) I: 986, **980**
novaehollandiae (*Cereopsis*) I: 1194, **1197**
novaehollandiae (*Coracina*) VII: 266, **256**
novaehollandiae (*Dromaius*) I: 47, **56**
novaehollandiae (*Larus*) III: 517, **513, 545**
novaehollandiae (*Menura*) V: 142, **224**
novaehollandiae (*Phylidonyris*) V: 1009, **1024**
novaehollandiae (*Recurvirostra*) II: 790, **776**
novaehollandiae (*Scythrops*) IV: 782, **769**
novaehollandiae (*Tachybaptus*) I: 92, **112**
novaehollandiae (*Tyto*) IV: 908, **960**
novaezeelandiae (*Anthus*) VII: 1359, **1369**
novaezeelandiae (*Aythya*) I: 1358, **1317**
novaezeelandiae (*Falco*) II: 279, **304**
novaezeelandiae (*Hemiphaga*) III: 1016, **993**
novaezeelandiae (*Mohoua*) VI: 1041, **1025**
novaezeelandiae (*Ninox*) IV: 852, **864**
novaezeelandiae (*Prothemadera*) V: 1191, **1152**
novaezeelandiae (*Thinornis*) II: 912, **784**
novaezeelandiae (*Coturnix*) II: 402
novaezeelandiae (*Cyanoramphus*) IV: 475, **449**
novaezeelandiae (*Himantopus*) II: 769, **745**
novaezeelandiae (*Ixobrychus*) I: 1045
nuchalis (*Chlamydera*) VII: 936, **897**
Numenius arquata III: 116
Numenius madagascariensis III: 117, **160**
 minutus III: 95, **128**
 phaeopus III: 103, **129**
 tahitiensis III: 112, **129**
Numida meleagris II: 424
nycthemera (*Lophura*) II: 423
nycticorax (*Nycticorax*) I: 1028, **1021**
Nycticorax caledonicus I: 1030, **1021**
 melanolophus I: 1037, **1020**
 nycticorax I: 1028, **1021**
Nymphicus hollandicus IV: 176, **161**

obscura (*Myzomela*) V: 1150, **929**
obscurus (*Charadrius*) II: 818, **784**
occidentalis (*Pezoporus*) IV: 606, **512**
occidentalis (*Psophodes*) VI: 949, **865**
oceanicus (*Oceanites*) I: 675, **665**
Oceanites nereis I: 686, **680**
 oceanicus I: 675, **665**

OCEANITIDAE, *see Hydrobatidae*
Oceanodroma leucorhoa I: 713, **665**
 matsudairae I: 717, **665**
ocellata (*Leipoa*) II: 331, **321**
ocellatus (*Podargus*) IV: 990, **993**
ochrocephala (*Mohoua*) VI: 1032, **1025**
ochropus (*Tringa*) III: 158
oculata (*Stagonopleura*) VII: 1235, **1240**
Ocyphaps lophotes III: 903, **897**
ODONTOPHORIDAE *see Phasianidae*
Oenanthe isabellina VII: 1809, **1848**
 monticola VII: 1809
olivacea (*Amaurornis*) II: 538, **552**
olivacea (*Gerygone*) VI: 399, **257**
olivacea (*Pachycephala*) VI: 1075, **1088**
olivaceus (*Psophodes*) VI: 915, **865**
olivei (*Turnix*) II: 445, **424**
olor (*Cygnus*) I: 1175, **1196**
onslowi (*Phalacrocorax*) I: 881, **885**
Oreoica gutturalis VI: 1064, **1056**
Oreortyx pictus II: 424
Oreoscopus gutturalis VI: 143, **161**
orientalis (*Acrocephalus*) VII: 1623, **1561**
orientalis (*Eurystomus*) IV: 1227, **1216**
Origma solitaria VI: 135, **161**
ORIOLIDAE VII: 356
Oriolus flavocinctus VII: 359, **353**
 sagittatus VII: 366, **353**
orix (*Euplectes*) VII: 1097
ornatus (*Lichenostomus*) V: 840, **768**
ornatus (*Merops*) IV: 1210, **1216**
orru (*Corvus*) VII: 757, **737**
ORTHONYCHIDAE VI: 840
Orthonyx spaldingii VI: 850, **737**
 temminckii VI: 841, **737**
oryzivora (*Lonchura*) VII: 1270, **1112**
osculans (*Chrysococcyx*) IV: 705, **736, 737**
OTIDIDAE II: 635
owenii (*Apteryx*) I: 80, **73**
Oxyura australis I: 1142, **1164**
 vittata I: 1141
Oxyurinae I: 1140

Pachycephala inornata VI: 1092, **1120**
 lanioides VI: 1162, **1089**
 melanura VI: 1122, **1057**
 olivacea VI: 1075, **1088**
 pectoralis VI: 1100, **1057**
 rufiventris VI: 1137, **1089**
 rufogularis VI: 1084, **1120**
 simplex VI: 1130, **1089**

PACHYCEPHALIDAE VI: 1020
Pachyptila belcheri I: 534, **528**
crassirostris I: 550, **528**
desolata I: 526, **529**
salvini I: 521, **529**
turtur I: 541, **528**
vittata I: 515, **529**
pachyrhynchus (*Eudypetes*) I: 195, **209**
pacifica (*Ardea*) I: 955, **964**
pacificus (*Apus*) IV: 1081, **1057**
pacificus (*Larus*) III: 471, **449, 489**
pacificus (*Puffinus*) I: 593, **624, 625**
Pagodroma nivea I: 402, **400**
pallida (*Lonchura*) VII: 1276, **1241**
pallidus (*Cuculus*) IV: 662, **672**
palpebrata (*Phoebetria*) I: 346, **329**
palpebrosa (*Gerygone*) VI: 391, **257**
Pandion haliaetus II: 225, **256**
Papasula (see *Sula*)
papua (*Pygoscelis*) I: 147, **208**
papuensis (*Coracina*) VII: 291, **256**
papuensis (*Podargus*) IV: 983, **993**
paradisaea (*Sterna*) III: 668, **640, 641**
PARADISAEIDAE VII: 630
paradiseus (*Ptiloris*) VII: 634, **640**
paradoxa (*Anthochaera*) V: 482, **449**
parasiticus (*Stercorarius*) III: 448, **385, 417, 448**
PARDALOTIDAE VI: 27
Pardalotus punctatus VI: 31, **64**
quadragintus VI: 51, **64**
rubricatus VI: 60, **65**
striatus VI: 69, **65**
parkinsoni (*Procellaria*) I: 573, **561**
Passer domesticus VII: 1070, **1112**
montanus VII: 1089, **1112**
PASSERIDAE VII: 1067
PASSERIFORMES V: 51
pastinator (*Cacatua*) IV: 136, **129**
patagonicus (*Aptenodytes*) I: 126, **144**
Pavo cristatus II: 372
pectoralis (*Aphelocephala*) VI: 561, **481**
pectoralis (*Certhionyx*) V: 1126, **1057**
pectoralis (*Coturnix*) II: 390, **385**
pectoralis (*Dryolimnas*) II: 529, **521**
pectoralis (*Heteromunia*) VII: 1278, **1272**
pectoralis (*Pachycephala*) VI: 1100, **1057**
PEDIONOMIDAE II: 649
Pedionomus torquatus II: 649, **640**
Pelagodroma marina I: 692, **680**
PELECANIDAE I: 737
PELECANIFORMES I: 737

Pelecanoides georgicus I: 719, **688**
urinatrix I: 724, **688**
 PELECANOIDIDAE I: 719
Pelecanus conspicillatus I: 738, **740**
penicillatus (*Lichenostomus*) V: 879, **769**
perdix (*Perdix*) II: 423
Perdix perdix II: 423
peregrinus (*Falco*) II: 307, **257, 264, 265**
personata (*Poephila*) VII: 1157, **1144**
personatus (*Artamus*) VII: 412, **385**
Petroica australis VI: 706, **609**
goodenovii VI: 649, **640**
macrocephala VI: 629, **609**
multicolor VI: 04, **609, 640**
phoenicea VI: 666, **640**
rodinogaster VI: 696, **641**
rosea VI: 684, **641**
traversi VI: 725, **609**
 PETROICIDAE VI: 575
Petrophassa albipennis III: 933, **896**
rufipennis III: 938, **896**
petrophila (*Neophema*) IV: 549, **545**
Pezoporus occidentalis IV: 606, **512**
wallicus IV: 592, **512**
phaeopus (*Numenius*) III: 103, **129**
Phaethon lepturus I: 945, **949**
rubricauda I: 935, **949**
 PHAETHONTIDAE I: 935
phaeton (*Neochmia*) VII: 1167, **1145**
 PHALACROCORACIDAE I: 808
Phalacrocorax bransfieldensis I: 847, **884**
campbelli I: 889, **932**
carbo I: 810, **829**
carunculatus I: 872, **885**
chalconotus I: 876, **885**
colensoi I: 885, **932**
featherstoni I: 844, **869**
fuscescens I: 896, **869**
georgianus I: 851
melanogenis I: 857, **884**
melanoleucos I: 902, **868**
nivalis I: 854, **884**
onslowi I: 881, **885**
punctatus I: 838, **869**
purpurascens I: 867, **884**
ranfurlyi I: 893, **932**
sulcirostris I: 830, **829**
varius I: 819, **868**
verrucosus I: 863, **884**
 Phalaropodinae III: 347
Phalaropus fulicaria III: 360, **369**

lobatus III: 352, **369**
Phaps chalcoptera III: 881, **881**
 elegans III: 890, **881**
 histrionica III: 896, **896**
phasiana (*Rhipidura*) VII: 214, **224**
phasianellus (*Tympanuchus*) II: 423
 PHASIANIDAE II: 357
phasianinus (*Centropus*) IV: 793, **769**
Phasianus colchicus II: 377, **384**
Philemon argenticeps V: 538, **481**
 buceroides V: 529, **481**
 citreogularis V: 561, **544**
 corniculatus V: 546, **481**
Philesturnus carunculatus VII: 986, **992**
philippensis (*Gallirallus*) II: 495, **489**
Philomachus pugnax III: 341, **368**
philomelos (*Turdus*) VII: 1877, **1817**
Phoebetria fusca I: 338, **328**
 palpebrata I: 346, **329**
phoenicea (*Petroica*) VI: 666, **640**
 PHOENICOPTERIDAE I: 1111
PHOENICOPTERIFORMES I: 1111
Phoenicopterus ruber I: 1111
phrygia (*Xanthomyza*) V: 573, **545**
Phylidonyris albifrons V: 1052, **1024**
 melanops V: 1061, **1024**
 nigra V: 1039, **1024**
 novaehollandiae V: 1009, **1024**
 pyrrhoptera V: 998, **1056**
Phylloscopus borealis VII: 1601, **1720**
 trochilus VII: 1600
picata (*Ardea*) I: 974, **1069**
picta (*Grantiella*) V: 989, **545**
pictum (*Emblema*) VII: 1243, **1145**
pictus (*Oreortyx*) II: 424
picumnus (*Climacteris*) V: 228, **257**
pipixcan (*Larus*) III: 565, **544, 545**
Piranga rubra VII: 1446
Pitta erythrogaster V: 95, **97**
 iris V: 117, **97**
 moluccensis V: 103, **128**
 versicolor V: 106, **128**
 PITTIDAE V: 92
Platalea flavipes I: 1104, **1101**
 regia I: 1095, **1101**
 PLATALEIDAE I: 1071
Platycercus adscitus IV: 356, **352, 353**
 caledonicus IV: 313, **320**
 elegans IV: 321, **320, 321**
 eximius IV: 341, **352**
 icterotis IV: 369, **384**

venustus IV: 364, **353**
platyrhynchos (*Anas*) I: 1313, **1301**
Plectorhyncha lanceolata V: 521, **545**
Plegadis falcinellus I: 1072, **1069**
 PLOCEIDAE VII: 1097
Ploceus hypoxanthus VII: 1097
plumifera (*Geophaps*) III: 912, **897**
plumulus (*Lichenostomus*) V: 849, **768**
Pluvialis apricaria II: 811
 dominica II: 810
 fulva II: 800, **777**
 squatarola II: 811, **777**
 PODARGIDAE IV: 964
Podargus ocellatus IV: 990, **993**
 papuensis IV: 983, **993**
 strigoides IV: 965, **992**
Podiceps cristatus I: 115, **113**
 PODICIPEDIDAE I: 91
PODICIPEDIFORMES I: 91
Poecilodryas superciliosa VI: 812, **705**
Poephila acuticauda VII: 1139, **1144**
 cincta VII: 1148, **1144**
 personata VII: 1157, **1144**
poeciloptilus (*Botaurus*) I: 1056, **1053**
poliocephalus (*Poliocephalus*) I: 100, **112**
poliocephalus (*Turdus*) VII: 1870, **1817**
Poliocephalus poliocephalus I: 100, **112**
 rufopectus I: 107, **113**
Polytelis alexandrae IV: 306, **289**
 anthopeplus IV: 295, **289**
 swainsonii IV: 287, **161**
pomarinus (*Stercorarius*) III: 438, **385, 417, 448**
 POMATOSTOMIDAE VI: 860
Pomatostomus halli VI: 899, **864**
 ruficeps VI: 905, **864**
 superciliosus VI: 881, **864**
 temporalis VI: 861, **865**
porphyrio (*Porphyrio*) II: 577, **616**
Porphyrio albus II: 592
 mantelli II: 593, **616**
 martinica II: 576, **585**
 porphyrio II: 577, **616**
porphyrocephala (*Glossopsitta*) IV: 241, **256**
Porzana cinereus II: 567, **584**
 fluminea II: 551, **553**
 fusca II: 557, **584**
 pusilla II: 544, **553**
 tabuensis II: 559, **584**
Prionodura newtoniana VII: 860, **865**
Probosciger aterrimus IV: 32, **64**
Procellaria aequinoctialis I: 557, **561**

cinerea I: 579, **592**
parkinsoni I: 573, **561**
westlandica I: 566, **561**
PROCELLARIIDAE I: 355
PROCELLARIIFORMES I: 263
Procelsterna cerulea III: 818, **800, 801**
productus (Nestor) IV: 633
Prothemadera novaeseelandiae V: 1191, **1152**
Prunella modularis VII: 1059, **1112**
PRUNELLIDAE VII: 1057
Psephotus chrysopterygius IV: 450, **448**
dissimilis IV: 458, **448**
haematonotus IV: 425, **417**
pulcherrimus IV: 465, **448**
varius IV: 441, **417**
Pseudobulweria (see *Pterodroma*)
PSITTACIDAE IV: 192
PSITTACIFORMES IV: 25
Psitteuteles versicolor IV: 221, **225**
Psophodes cristatus VI: 942, **865**
nigrogularis VI: 929, **865**
occidentalis VI: 949, **865**
olivaceus VI: 915, **865**
Pterodroma alba I: 445, **443**
arminjoniana I: 440, **465**
axillaris I: 485, **489**
barau I: 475, **473**
brevirostris I: 448, **472**
cervicalis I: 470, **488**
cookii I: 488, **496**
externa I: 468, **488**
inexpectata I: 460, **473**
lessonii I: 420, **432**
leucoptera I: 501, **497**
longirostris I: 494, **497**
macroptera I: 410, **401**
magentae I: 429, **432**
mollis I: 453, **472**
neglecta I: 436, **464**
nigripennis I: 478, **489**
pycrofti I: 497, **496**
rostrata I: 432, **433**
solandri I: 425, **401**
Ptilinopus cinctus III: 970, **960**
magnificus III: 974, **960**
regina III: 986, **961**
superbus III: 980, **961**
PTILONORHYNCHIDAE VII: 823
Ptilonorhynchus violaceus VII: 888, **896**
Ptiloris magnificus VII: 654, **641**
paradiseus VII: 634, **640**

victoriae **VII: 643, 640**
puffinus (*Puffinus*) **I: 646, 657**
Puffinus assimilis **I: 666, 664**
bulleri **I: 603, 625**
carneipes **I: 609, 624**
creatopus **I: 616, 625**
gavia **I: 649, 657**
gravis **I: 619, 592**
griseus **I: 622, 656**
huttoni **I: 655, 657**
lherminieri **I: 662, 664**
nativitatis **I: 644, 560**
pacificus **I: 593, 624, 625**
puffinus **I: 646, 657**
tenuirostris **I: 632, 656**
pugnax (*Philomachus*) **III: 341, 368**
pulchella (*Neophema*) **IV: 573, 513**
pulchellus (*Nettapus*) **I: 1229, 1236**
pulcherrimus (*Malurus*) **V: 332, 384**
pulcherrimus (*Psephotus*) **IV: 465, 448**
pulverulenta (*Eopsaltria*) **VI: 805, 704**
punctata (*Bowdleria*) **VII: 1649, 1720**
punctatum (*Cinclosoma*) **VI: 956, 896**
punctatus (*Pardalotus*) **VI: 31, 64**
punctatus (*Phalacrocorax*) **I: 838, 869**
punctulata (*Lonchura*) **VII: 1250, 1241**
puerelli (*Amytornis*) **V: 446, 448**
purpurascens (*Phalacrocorax*) **I: 867, 884**
Purpureicephalus spurius **IV: 391, 384**
pusilla (*Acanthiza*) **VI: 418, 289**
pusilla (*Alcedo*) **IV: 1105, 1120**
pusilla (*Calidris*) **III: 245**
pusilla (*Coenocorypha*) **III: 47, 65**
pusilla (*Glossopsitta*) **IV: 236, 256**
pusilla (*Porzana*) **II: 544, 553**
PYCNONOTIDAE VII: 1587
Pycnonotus cafer **VII: 1587**
jocosus **VII: 1589, 769**
Pycnoptilus floccosus **VI: 125, 161**
pycrofti (*Pterodroma*) **I: 497, 496**
Pygoscelis adeliae **I: 158, 145**
antarctica **I: 174, 145**
papua **I: 147, 208**
Pyrrholaemus brunneus **VI: 269, 193**
pyrrhoptera (*Phylidonyris*) **V: 998, 1056**
pyrrhopygia (*Hylacola*) **VI: 228, 192**
pyrrhopygia (*Todiramphus*) **IV: 1170, 1153**
pyrrhothorax (*Turnix*) **II: 461, 425**
pyrrhula (*Pyrrhula*) **VII: 1302**
Pyrrhula pyrrhula **VII: 1302**

quadragintus (Pardalotus) VI: 51, **64**
querquedula (Anas) I: 1335, **1237**
quoyi (Cracticus) VII: 482, **481**

radiatus (Erythrotriorchis) II: 214, **192**
radjah (Tadorna) I: 1218, **1228**
 RALLIDAE II: 486
Rallina fasciata II: 493, **488**
 tricolor II: 488, **488**
Ramsayornis fasciatus V: 1078, **929**
 modestus V: 1071, **929**
ranfurlyi (Phalacrocorax) I: 893, **932**
Recurvirostra novaehollandiae II: 790, **776**
 RECURVIROSTRIDAE II: 757
reevesii (Syrmaticus) II: 423
regia (Platalea) I: 1095, **1101**
regina (Ptilinopus) III: 986, **961**
reguloides (Acanthiza) VI: 482, **449**
reinwardt (Megapodius) II: 323, **321**
religiosa (Gracula) VII: 1892
Rhipidura fuliginosa VII: 174, **224**
 leucophrys VII: 225, **97**
 phasiana VII: 214, **224**
 rufifrons VII: 160, **224**
 rufiventris VII: 218, **224**
rhynchotis (Anas) I: 1340, **1316**
ridibundus (Larus) III: 558, **513, 545**
riparia (Riparia) VII: 1586
Riparia riparia VII: 1586
 'risoria' (*Streptopelia*) III: 864, **832**
robustirostris (Acanthiza) VI: 468, **448**
robustus (Eudypetes) I: 205, **209**
rodinogaster (Petroica) VI: 696, **641**
roratus (Eclectus) IV: 248, **257**
rosea (Petroica) VI: 684, **641**
roseicapilla (see *Eolophus*)
roseicapillus (Eolophus) IV: 104, **128**
roseus (Sturnus) VII: 1936
rostrata (Pterodroma) I: 432, **433**
Rostratula benghalensis II: 658, **640**
 ROSTRATULIDAE II: 658
rubecula (Erithacus) VII: 1802
rubecula (Myiagra) VII: 88, **96**
ruber (Phoenicopterus) I: 1111
rubicundus (Grus) II: 470, **456**
rubra (Piranga) VII: 1446
rubricatus (Pardalotus) VI: 60, **65**
rubricauda (Phaethon) I: 935, **949**
rubricollis (Thinornis) II: 902, **872**
rufa (Alectoris) II: 422
rufa (Climacteris) V: 247, **288**

rufa (*Ninox*) IV: 833, **832**
rufescens (*Atrichornis*) V: 176, **225**
rufescens (*Bowdleria*) VII: 1667
ruficapillus (*Charadrius*) II: 836, **800**
ruficauda (*Gerygone*) VI: 414
ruficauda (*Neochmia*) VII: 1178, **1145**
ruficeps (*Pomatostomus*) VI: 905, **864**
ruficeps (*Stipiturus*) V: 386, **385**
ruficollis (*Calidris*) III: 258, **289, 320**
ruficollis (*Myiagra*) VII: 82, **96**
rufifrons (*Rhipidura*) 160, **224**
rufipennis (*Petrophassa*) III: 938, **896**
rufiventris (*Pachycephala*) VI: 1137, **1089**
rufiventris (*Rhipidura*) VII: 218, **224**
rufogularis (*Acanthagenys*) V: 508, **480**
rufogularis (*Conopophila*) V: 1091, **1025**
rufogularis (*Pachycephala*) VI: 1084, **1120**
rufopectus (*Poliocephalus*) I: 107, **113**
russatus (*Chrysococcyx*) IV: 752, **736, 737**
rustica (*Hirundo*) VII: 1508, **1529, 1560**

sabini (*Larus*) III: 569, **512, 545**
sacra (*Ardea*) I: 1002, **980**
sagittata (*Chthonicola*) VI: 278, **192**
sagittatus (*Oriolus*) VII: 366, **353**
salvini (*Pachyptila*) I: 521, **529**
sanctus (*Todiramphus*) IV: 1178, **1184**
sanguinea (*Cacatua*) IV: 144, **129**
sanguinolenta (*Myzomela*) V: 1165, **929**
saturatus (*Cuculus*) IV: 653, **672**
saundersi (*Sterna*) III: 724
scapularis (*Alisterus*) IV: 269, **288**
Sceloglaux albifacies IV: 884
Scenopoeetes dentirostris VII: 848, **865**
schlegeli (*Eudyptes*) I: 230, **240**
schoeniclus (*Emberiza*) VII: 1446
sclateri (*Eudyptes*) I: 215, **209**
scolopacea (*Eudynamys*) IV: 760, **768**
SCOLOPACIDAE III: 25
scoresbii (*Larus*) III: 470
scripta (*Geophaps*) III: 927, **928**
scriptus (*Elanus*) II: 45, 40, **41**
scutulata (*Ninox*) IV: 875, **833**
Scythrops novaehollandiae IV: 782, **769**
semipalmata (*Anseranas*) I: 1114, **1132**
semipalmatus (*Limnodromus*) III: 206, **97**
senegalensis (*Streptopelia*) III: 852, **848**
Sericornis beccarii VI: 215, **160**
 citreogularis VI: 149, **160**
 frontalis VI: 161, **97**
 humilis VI: 191, **97**

keri VI: 200, **160**
magnirostris VI: 205, **160**
chrysocephalus VII: 873, **896**
Serinus canarius VII: 1302
serrator (*Sula*) I: 751, **756**
sibilatrix (*Anas*) I: 1263, **1253**
sibirica (*Muscicapa*) VII: 1813
simplex (*Pachycephala*) VI: 1130, **1089**
sinensis (*Ixobrychus*) I: 1047, **1052**
skua (*Catharacta*) III: 388, **385, 416**
Smicrornis brevirostris VI: 292, **480**
smithii (*Geophaps*) III: 927, **928**
solandri (*Pterodroma*) I: 425, **401**
solitaria (*Origma*) VI: 135, **161**
solitaria (*Tringa*) III: 156, **224**
solitarius (*Monticola*) VII: 1805, **1816**
spaldingii (*Orthonyx*) VI: 850, **737**
Sphecotheres viridis VII: 380, **384**
 SPHENISCIDAE I: 125
SPHENISCIFORMES I: 125
Spheniscusmagellanicus I: 259, **241**
sphenurus (*Haliastur*) II: 71, **104, 105, 136**
spilonotus (*Circus*) II: 105
spinicollis (*Threskiornis*) I: 1087, **1100**
pinus (*Carduelis*) VII: 1302
splendens (*Corvus*) VII: 770, **737**
splendens (*Malurus*) V: 294, **320**
splendida (*Neophema*) IV: 584, **513**
spodiopygius (*Aerodramus*) IV: 1058, **1056**
spurius (*Purpureicephalus*) IV: 391, **384**
squatarola (*Pluvialis*) II: 811, **777**
stagnatilis (*Tringa*) III: 136, **192**
Stagonopleura bella VII: 1224, **1240**
 guttata VII: 1212, **1240**
 oculata VII: 1235, **1240**
Steganopus tricolor III: 348, **256**
stentoreus (*Acrocephalus*) see *A. australis*
stenura (*Gallinago*) III: 38, **64**
 Stercorariinae III: 385
Stercorarius longicaudus III: 459, **385, 417, 448**
 parasiticus III: 448, **385, 417, 448**
 pomarinus III: 438, **385, 417, 448**
Sterna albifrons III: 709, **672**
 albostrigatus III: 699, **640, 641**
 anaethetus III: 738, **673**
 bengalensis III: 597, **577**
 bergii III: 605, **577**
 caspia III: 586, **576**
 dougallii III: 621, **608, 609**
 fuscata III: 752, **673**
 hirundo III: 655, **608, 609**

nereis **III**: 725, **672**
nilotica **III**: 576, **576**
paradisaea **III**: 668, **640, 641**
saundersi **III**: 724
striata **III**: 632, **608, 609**
sumatrana **III**: 645, **608, 609**
virgata **III**: 692, **640, 641**
vittata **III**: 677, **640, 641**
Sterninae **III**: 573
Stictonetta naevosa **I**: 1160, **1165**
Stiltia isabella **III**: 372, **384**
Stipiturus malachurus **V**: 371, **385**
mallee **V**: 381, **385**
ruficeps **V**: 386, **385**
stolidus (*Anous*) **III**: 789, **800, 801**
strenua (*Ninox*) **IV**: 818, **832**
strenuus (*Zosterops*) **VII**: 1793, **1752**
Strepera fuliginosa **VII**: 556, **513, 608**
graculina **VII**: 529, **513, 608**
versicolor **VII**: 564, **513, 609**
Streptopelia 'risoria' **III**: 856, **848**
chinensis **III**: 864, **832**
senegalensis **III**: 852, **848**
striata (*Ardea*) **I**: 1009, **1020**
striata (*Geopelia*) **III**: 949, **929**
striata (*Sterna*) **III**: 632, **608, 609**
striatus (*Amytornis*) **V**: 414, **417**
striatus (*Pardalotus*) **VI**: 69, **65**
STRIGIDAE **IV**: 810
STRIGIFORMES **IV**: 807
strigoides (*Podargus*) **IV**: 965, **992**
Strigops habroptilus **IV**: 633, **641**
Strix aluco **IV**: 888
Struthidea cinerea **VII**: 797, **768**
Struthio camelus **I**: 68
STRUTHIONIDAE **I**: 68
STRUTHIONIIFORMES **I**: 47
Sturnella loyca **VII**: 1445
STURNIDAE **VII**: 1892
sturninus (*Sturnus*) **VII**: 1934, **1849**
Sturnus roseus **VII**: 1936
sturninus **VII**: 1934, **1849**
vulgaris **VII**: 1906, **1849**
subcristata (*Aviceda*) **II**: 26, **40, 41**
subminuta (*Calidris*) **III**: 270, **289, 320**
subniger (*Falco*) **II**: 299, **305, 320**
subruficollis (*Tryngites*) **III**: 329, **321**
sueurii (*Lalage*) **VII**: 325, **352**
sula (*Sula*) **I**: 773, **796, 797**
Sula abbotti **I**: 791, **796, 797**
capensis **I**: 749, **756**

dactylatra I: 763, **757, 797**
leucogaster I: 781, **757, 797**
serrator I: 751, **756**
sula I: 773, **796, 797**
sulcirostris (*Phalacrocorax*) I: 830, **829**
 SULIDAE I: 748
sumatrana (*Ardea*) I: 962, **964**
sumatrana (*Sterna*) III: 645, **608, 609**
superbus (*Ptilinopus*) III: 980, **961**
superciliaris (*Drymodes*) VI: 826, **737**
superciliosa (*Anas*) I: 1320, **1301**
superciliosa (*Poecilodryas*) VI: 812, **705**
superciliosus (*Acanthorhynchus*) V: 1118, **1056**
superciliosus (*Artamus*) VII: 424, **385**
superciliosus (*Pomatostomus*) VI: 881, **864**
swainsonii (*Polytelis*) IV: 287, **161**
sylvestris (*Gallirallus*) II: 520, **489**
sylvia (*Tanysiptera*) IV: 1113, **1120**
Sylvia atricapilla VII: 1597
 communis VII: 1597
 SYLVIIDAE VII: 1596
Syma torotoro IV: 1155, **1153**
Syrmaticus reevesii II: 423

tabuensis (*Porzana*) II: 559, **584**
Tachybaptus novaehollandiae I: 92, **112**
Tachycineta leucopyga VII: 1585
Tadorna radjah I: 1218, **1228**
 tadornoides I: 1210, **1228**
 variegata I: 1202, **1229**
 Tadorninae I: 1201
tadornoides (*Tadorna*) I: 1210, **1228**
Taeniopygia bichenovii VII: 1127, **1113**
 guttata VII: 1102, **1113**
tahitica (*Hirundo*) VII: 1548
tahitiensis (*Numenius*) III: 112, **129**
taitensis (*Eudynamys*) IV: 773, **768**
Tanysiptera galatea IV: 1112
 sylvia IV: 1113, **1120**
tasmanicus (*Corvus*) VII: 717, **736**
teesa (*Butastur*) II: 162
telescopthalmus (*Arses*) VII: 71, **65**
temminckii (*Orthonyx*) VI: 841, **737**
temporalis (*Neochmia*) VII: 1196, **1240**
temporalis (*Pomatostomus*) VI: 861, **865**
tenebricosa (*Tyto*) IV: 890, **865**
tenebrosa (*Gallinula*) II: 600, **617**
tenebrosa (*Gerygone*) VI: 345, **256**
tenuirostris (*Acanthorhynchus*) V: 1104, **1056**
tenuirostris (*Anous*) III: 812, **800, 801**
tenuirostris (*Cacatua*) IV: 127, **129**

tenuirostris (*Calidris*) III: 214, **257**
tenuirostris (*Coracina*) VII: 305, **257**
tenuirostris (*Puffinus*) I: 632, **656**
tenuirostris (*Zosterops*) VII: 1794, **1752**
Tetrao tetrax II: 423
tetrax (*Tetrao*) II: 423
textilis (*Amytornis*) V: 436, **448**
Thalassoica antarctica I: 384, **400**
Thinornis novaeseelandiae II: 912, **784**
rubricollis II: 902, **872**
Threskiornis molucca I: 1078, **1100**
spinicollis I: 1087, **1100**
 THRESKIORNITHIDAE (*see* *Plataleidae*)
tibicen (*Gymnorhina*) VII: 579, **609**
timoriensis (*Megalurus*) VII: 1629, **1720**
Todiramphus chloris IV: 1201, **1184**
macleayii IV: 1159, **1153**
pyrrhopygia IV: 1170, **1153**
sanctus IV: 1178, **1184**
torotoro (*Syma*) IV: 1155, **1153**
torquatus (*Cracticus*) VII: 490, **512**
torquatus (*Pedionomus*) II: 649, **640**
totanus (*Tringa*) III: 144, **161**
traversi (*Petroica*) VI: 725, **609**
Traversia lyalli V: 90
Tregellasia capito VI: 756, **705**
leucops VI: 765, **705**
Trichodere cockerelli V: 985, **640**
Trichoglossus chlorolepidotus IV: 212, **224**
haematodus IV: 195, **224**
trichroa (*Erythrura*) VII: 1284, **1272**
tricolor (*Charadrius*) II: 892
tricolor (*Epthianura*) V: 1207, **1153**
tricolor (*Rallina*) II: 488, **488**
tricolor (*Steganopus*) III: 348, **256**
tricolor (*Vanellus*) II: 935, **873**
Tringa erythropus III: 128, **161**
flavipes III: 153, **192**
glareola III: 158, **224**
guttifer III: 152
nebularia III: 144, **193**
ochropus III: 158
solitaria III: 156, **224**
stagnatilis III: 136, **192**
totanus III: 144, **161**
 Tringinae III: 67
tristis (*Acridotheres*) VII: 1937, **769**
trivirgatus (*Monarcha*) VII: 54, **64**
trochilus (*Phylloscopus*) VII: 1600
tropica (*Fregatta*) I: 700, **681**
Tryngites subruficollis III: 329, **321**

Turdus merula VII: 1844, **1817**
philomelos VII: 1877, **1817**
poliocephalus VII: 1870, **1817**
Turnagra capensis VII: 958, **992**
 TURNAGRIDAE VII: 957
 TURNICIDAE II: 425
TURNICIFORMES II: 425
Turnix castanota II: 441, **424**
maculosa II: 426, **392**
melanogaster II: 448, **393**
olivei II: 445, **424**
pyrrhothorax II: 461, **425**
varia II: 433, **393**
velox II: 454, **425**
turtur (*Pachyptila*) I: 541, **528**
Tympanuchus cupido II: 424
Tympanuchus phasianellus II: 423
 TYRANNIDAE V: 55
tyrannus (*Tyrannus*) V: 56
Tyrannus tyrannus V: 56
Tyto alba IV: 930, **961**
capensis IV: 950, **961**
multipunctata IV: 902, **865**
novaehollandiae IV: 908, **960**
tenebricosa IV: 890, **865**
 TYTONIDAE IV: 889

undulatus (*Melopsittacus*) IV: 504, **512**
unicolor (*Haematopus*) II: 748, **713**
unicolor (*Lichenostomus*) V: 763, **736**
unicolor (*Cyanoramphus*) IV: 469, **449**
urinatrix (*Pelecanoides*) I: 724, 688
uropygialis (*Acanthiza*) VI: 458, **448**

validirostris (*Melithreptus*) V: 908, **896**
 Vanellinae II: 928
vanellus (*Vanellus*) II: 958
Vanellus armatus II: 958
miles II: 943, **873**
tricolor II: 935, **873**
vanellus II: 958
vanikorensis (*Aerodramus*) IV: 1067, **1056**
varia (*Turnix*) II: 433, **393**
variegata (*Tadorna*) I: 1202, **1229**
variegatus (*Certhionyx*) V: 1143, **1057**
variolosus (*Cacomantis*) IV: 677, **673**
varius (*Gallus*) II: 423
varius (*Phalacrocorax*) I: 819, **868**
varius (*Psephotus*) IV: 441, **417**
velox (*Turnix*) II: 454, **425**
ventralis (*Gallinula*) II: 609, **624**

venustus (*Platycercus*) IV: 364, **353**
veredus (*Charadrius*) II: 877, **841**
verrucosus (*Phalacrocorax*) I: 863, **884**
versicolor (*Lichenostomus*) V: 754, **673**
versicolor (*Pitta*) V: 106, **128**
versicolor (*Psitteuteles*) IV: 221, **225**
versicolor (*Strepera*) VII: 564, **513, 609**
victoriae (*Ptiloris*) VII: 643, **640**
violaceus (*Ptilonorhynchus*) VII: 888, **896**
virescens (*Lichenostomus*) V: 740, **673**
virgata (*Sterna*) III: 629, **640, 641**
virginianus (*Colinus*) II: 424
viridis (*Sphecotheres*) VII: 380, **384**
vitiensis (*Columba*) III: 846
vittata (*Melanodryas*) VI: 748, **704**
vittata (*Oxyura*) I: 1141
vittata (*Pachyptila*) I: 515, **529**
vittata (*Sterna*) III: 677, **640, 641**
vulgaris (*Sturnus*) VII: 1906, **1849**

wallicus (*Pezoporus*) IV: 592, **512**
westlandica (*Procellaria*) I: 566, **561**
whartoni (*Ducula*) III: 996, **992**
whitei (*Conopophila*) V: 1099, **1025**
woodwardi (*Amytornis*) V: 403, **416**
woodwardi (*Colluricincla*) VI: 1185, **1121**

Xanthomyza phrygia V: 573, **545**
Xanthotis flaviventer V: 680, **640**
 macleayana V: 676, **640**
Xenicus gilviventris V: 81, **96**
 longipes V: 76, **96**
Xenus cinereus III: 165, 193

ypsilophora (*Coturnix*) II: 404, **385**

zonarius (*Barnardius*) IV: 376, **385**
Zoothera heinei VII: 1836, **1816**
 lunulata VII: 1820, **1816**
ZOSTEROPIDAE VII: 1728
Zosterops albogularis VII: 1798, **1752**
 citrinellus VII: 1734, **1752**
 lateralis VII: 1745, **1753**
 luteus VII: 1737, **1752**
 natalis VII: 1730, **1752**
 strenuus VII: 1793, **1752**
 tenuirostris VII: 1794, **1752**